



Catalogue 2025

Retail



Endorsed by



RHS

Producers of the only RHS endorsed
plant watering systems



AUTOPOT GROWERS

THE OXFORDSHIRE CHILLI FARM, UK

The Oxfordshire Chilli Farm (Plantasia) have been growing capsicums using AutoPot Watering Systems for 10 years. AutoPot offer growing solutions to each variety under cultivation. For large 'super-hot' varieties the XL System provides ideal size and adjustability. Habanero and Scotch Bonnets are served by the 1Pot System. Sweet peppers are grown using the high-wire method in easy2grow with 15L pots instead of the 8.5L as this suits these capsicums better. For further details of Plantasia's current chilli selection, nutrient and substrate combinations and greenhouse layouts visit www.plantasia.co.uk



MEDWYN WILLIAMS - MEDWYNS OF ANGLESEY

A 13-time RHS Chelsea Gold Medallist, Medwyn Williams MBE is famed for cornucopias of immaculately grown, specimen vegetables. For him the chief prospects of using AutoPot were savings in time and costs, without ever compromising on plant health or veg quality. Medwyn was also intrigued by the potential of AutoPot to act as a leveller where competition growing is concerned. Two years of using the systems have brought about his latest Gold Medal, and confirmed his suspicion; that AutoPot brings the growing of large, exhibition-quality veg onto a level playing field. He predicts that, in future, far more entries on show benches will be AutoPot grown.



KUNYA BEACH, KENYA

Kunya Beach Nursery is located in an important horticultural region of Africa. Growers in the area must meet stringent government criteria given the existing demands on local resources. AutoPot Watering Systems easily meet these criteria thanks to their water efficiency and power-free operation. For this reason the nursery has attracted a great deal of government and commercial interest. Sustainable horticulture is seen as a great driver for potential local employment. Furthermore the market for affordable, reliable crops is vast and, by utilising such systems, the overheads are minimal.



Crop Type: Tomatoes, Peppers, Melons
Greenhouse Size: 1200 sq m
AutoPot Systems Used: easy2grow, WhitePot
Growing Media: Pumice and Cocopeat 50/50
Crops Per Year: 2 **Nutrients Used:** Mineral Compound
Yield Per Month: 5kg/sq m

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

[@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



CONTENTS

AutoPot Growers	2
The AutoPot RHS Collection	4 - 5
AQUAvalve5	6 - 7
Growers Tips	8 - 15
Watering Systems	16 - 41
1Pot Systems	16 - 19
easy2grow Systems	20 - 23
XL Systems	24 - 27
XL FlexiPot Systems	28 - 31
XXL35 & XXL50	32 - 35
System Modules & Module Packs	36 - 37
Tray Systems	38 - 39
Tray2Grow	40 - 41
Kits & Accessories	42 - 49
Pot Divider & Strawberry Topper	42
AirBase & AQUAplate	43
easy2GO & CocoMat	44
AQUAbox Straight & Spyder	45
AirDome & Pumps	46
CO2 Generator	47
easy2Propagate	48
Garden Trays	49
Reservoirs	50 - 52 & 59
FlexiTank & Tapless FlexiTank	50 - 52
FlexiTank Pro	53
Plastic Reservoirs	59
Propagation Lids	54
Pots, & Trays	54 - 55
Fittings, System/AQUAvalve Spares & Pipe	56 - 59
Root Control	59
The Source	60 - 61
Rapid Roots & easy2grow Liquid Feed	62
BioTabs Organic Nutrients	63



Endorsed by



RHS

A RANGE FOR EVERY KIND OF PLANT IN EVERY KIND OF GARDEN

ENDORSED BY THE ROYAL HORTICULTURAL SOCIETY (RHS)

THE ONLY AUTOMATIC PLANT WATERING SYSTEMS TO BE RHS ENDORSED



FOR EVERY GARDEN

Endorsed by the UK's leading gardening charity, the Royal Horticultural Society (RHS), our 'RHS Collection' includes a range of automatic plant watering systems for every kind of plant, in every kind of garden. These gravity-fed, power-free, zero-waste irrigation solutions can help you achieve the garden of your dreams whether you grow in-earth, indoors, in a greenhouse, on a patio, or on a balcony.

E: MAIL@AUTOPOT.CO.UK

A UNIQUE ENDORSEMENT

As producers of the only automatic plant watering systems to be endorsed by the RHS, we're delighted that our products have been recognised for their unique qualities. AutoPot Watering Systems make gardening accessible, sustainable, and enjoyable for everyone. The RHS's vision is a world where gardening is embraced as a way of life – a source of joy and fulfilment, building healthier lives, stronger communities, and thriving environments.

GARDENING FOR ALL

"These systems are not only good for the environment but are also cost-saving and highly efficient – big pluses for both gardeners and the RHS. They support making gardening accessible to all, whether in a greenhouse or on a patio, balcony or allotment. All of which adds up to a wonderful growing and sustainability story that we are delighted to support." -

Cathy Snow, RHS Licensing Manager

AUTOPOT.CO.UK

@AUTOPOT_GLOBAL



RHS COLLECTION

RRP = RECOMMENDED RETAIL PRICE



- A complete plant watering kit
- Immense scope and versatility
- An AQUAvalve for each plant
- Features four 15L pots
- Includes 47L reservoir

4POT SYSTEM - 4POT/PACK/1 RRP £112.00



- A complete plant watering kit
- Incredibly compact design
- Fits virtually any space
- Features two 8.5L pots
- Includes 47L reservoir

EASY2GROW KIT - AP201/SQ/BOX RRP £58.50



An AQUAvalve water control device for each plant!

- Easy-to-use add-on for 4Pot System
- Extend infinitely
- Set up in minutes
- Connect to any reservoir using fittings incl.*
- Features 15L pot
- Create layouts for any space

IPOT MODULE - AP200/SQ/XL RRP £27.50

*reservoir available separately



*reservoir available separately

Ultra-compact two-pot design!

- Easy-to-use add-on for easy2grow Kit
- Extend infinitely
- Set up in minutes
- Connect to any reservoir using fittings incl.*
- 2x 8.5L pots
- Create layouts for any space

EASY2GROW MODULE - AP204/SQ/X1/BOX RRP £32.85



- Award-winning multi-functional system
- Offers five ways to grow your plants

- Accommodates seed trays, pots of all sizes, micro herbs, grow bags, or a fabric planter
- Includes all fittings required to connect to reservoir*

TRAY2GROW COMPLETE - AP/T26 RRP £69.95

*reservoir available separately

- Turns any tray into a watering system

• Perfectly preserves potted plants

• An ideal solution to holiday watering

• Waters and feeds plants automatically for weeks

EASY2GO KIT - AP400

RRP £22.50

*reservoir available separately



- Automatic watering for in-earth growers
- Perfect for narrow beds and plots
- Placed in the ground and connected to a reservoir*
- Distributes water to roots via capillary matting
- Waters and feeds plants automatically for weeks

AQUABOX STRAIGHT - AQUABOX/1 RRP £27.95

*reservoir available separately

- Automatic watering for in-earth growers
- Perfect for wide raised beds and plots
- Placed in the ground and connected to a reservoir*
- Distributes water to roots via capillary matting
- Waters and feeds plants automatically for weeks

AQUABOX SPYDER - AQUABOX/2

RRP £31.10

*reservoir available separately



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



THE PATENTED, POWER-FREE WATER CONTROL DEVICE

AT THE HEART OF EVERY AUTOPOT WATERING SYSTEM

GROW ANYWHERE WITH LOW OVERHEADS & ZERO WASTE



POWER-FREE

AQUAvalve5 is supplied with every AutoPot Watering System. Once connected to the water supply, the AQUAvalve5 will control the flow of water to the plants by simple gravity pressure from a reservoir or tank of any size.

No pumps, mains water pressure, electricity or timers are ever required.

A FASTER FLOW

The needs of growers are ever-evolving, served by an increasingly diverse range of nutrients. With a 5mm inlet, AQUAvalve5 rises to the challenge of delivering the widest range of nutrients in a faster flow for a quicker fill, maximising system efficiency. Maintenance is reduced and the risk of blockages minimised.

PLANT CONTROLLED

AQUAvalve5 is an exceptionally responsive means of feeding. It opens to supply water to a 20mm depth and then closes. Once the plants have used that supply the AQUAvalve5 reopens to repeat the cycle. No need to second guess plant requirements, compensate for conditions or recalibrate unnecessary pumps or computers.

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

[@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)




SUITABLE FOR USE WITH MINERAL OR ORGANIC LIQUID FERTILISERS

PLANT CONTROLLED - THE ULTIMATE IN RESPONSIVE IRRIGATION

GRAVITY-FED - REQUIRES NO PUMPS, TIMERS, COMPUTERS, OR RUNNING WATER




ANATOMY




Visit our Videos page to see the AQUAvalve in action

OPERATION


FOR AQUAVALVE CARE AND ADVICE SEE PAGE 15




Once the AQUAvalve is positioned in a tray and connected to the water supply and the tap turned on, water will begin to flow into the tray through the AQUAvalve nozzle. The Inner Float will rise a little but the Top Float will remain in position, keeping the hole sealed on the Main Body and preventing the Inner Float from rising further.




Trapped air inside the Main Body is unable to escape as the silicone in the Upper Float is creating a seal on the Main Body, water continues to enter into the tray as the Inner Float is unable to shut off due to the trapped air.




Once the water reaches 20mm (half way on the AQUAvalve collar) the Upper Float will lift, allowing the trapped air inside the Main Body to escape and simultaneously the Inner Float will rise and cut off the incoming water.



As the plants consume the nutrient solution the Top Float begins to drop back down, re-sealing the hole on the Main Body creating an air tight seal.



The sealing of the Main Body ensures that there is an air tight seal which in turn creates a vacuum inside the Main Body, this prevents the Inner Float from dropping and preventing any further nutrient solution from entering.



Once the nutrient solution drops below the Main Body of the AQUAvalve the surface tension of the water around the AQUAvalve Main Body will break, this can take up to an hour. The vacuum in the Main Body is then released and the Inner Float drops to a position where the inlet can reopen and the filling process begins again.



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS

POTTING UP

AUTOPOT WATERING SYSTEMS



STEP 1: ROOT CONTROL

All AutoPot Watering Systems and Modules are supplied with root control. Depending on the system or module, root control may include some combination of PotSock, Root Control Disc (RCD) and Marix Disc. These are used in the following configurations:


1Pot: Marix Disc in pot & RCD in tray (copper face up)

EASY2GROW: Marix Disc in pot & PotSock on base of pot (copper face up)

NB: If growing aggressive plants we suggest using a RCD in the pot (copper face down) & PotSock on the base of the pot (copper face up)

XL FlexiPot: PotSock on base of pot (copper face up)

1Pot XL: RCD in pot (copper face down)



STEP 2: SUBSTRATE CHOICE

A vast range of substrate options are viable with AutoPot. The following represent good examples of substrates that provide the requisite air retention and capillary action. Use quality substrates from reputable brands and ensure the mix is absorbent, light and fluffy. Ensure Clay Pebbles are pH stable or that they have been fully stabilised for at least 48hrs prior to use.



STEP 3: ADDING SUBSTRATE

For good drainage we recommend an AirBase (p.43) in each pot. Alternatively a 2.5cm base layer of pH stable clay pebbles, pea gravel, or Growstones may be used.

FIRST ADD A BASE FOR DRAINAGE



If using AirDomes place the AirDome on the Root Control Disc, or Marix Disc inside the pot and fit the AirBase on top / pour in clay pebbles, gravel, or Growstones to the height of the AirDome.


ADD SUBSTRATE UNTIL 1-2" / 2.5-5CM FROM TOP OF THE POT




Place your choice of substrates into the pot. Fill until substrate is 2.5-5cm below the top.

STEP 4: PLANT CHOICE

Always ensure an established plant is used when potting up. Don't place small seedlings directly into the pots. As a general rule: easy2grow 2.2gal/8.5L - **Min. plant height 6"/15cm**
1Pot 3.9gal/15L - **Min. plant height 9"/22.5cm**
XL/FlexiPot 6.6gal/25L - **Min. plant height 12"/30cm**



HAND WATER POTS



Pot up and with the pot outside the tray, water each pot through. When you see water draining from the bottom of the pot, stop. Allow the pot to drain for 15 mins.




Before putting pots into trays clean the bottom and sides of each pot to help ensure the AQUAvalve remains clean and free of substrate.

STEP 5: SYSTEM ACTIVATION

At this point the system **SHOULD NOT** be turned on, allow the plants to establish first. As a guide allow:
5-7 days for easy2grow 2.2gal/8.5L
7-12 days for 1Pot 3.9gal/15L
10-14 days for XL/FlexiPot 6.6gal/25L

DO NOT SWITCH THE WATERING SYSTEM ON INITIALLY



During the rooting phase the roots will take up the initial "through-watering" and extend to seek out further moisture. Do not water again until day 5-10 of the rooting phase.

ALLOW PLANTS TIME TO ESTABLISH IN AUTOPOT POTS



Once you're happy the plants have rooted, turn the system on. Feeling the weight of the pots will give you an idea. If heavy plenty of moisture remains to be absorbed by developing roots, if light switch on.

STEP 6: AIRDOME ACTIVATION

DO NOT SWITCH ON AIRDOMES FOR 2-3 WEEKS



If using AirDomes do not activate them straight away, allow 2-3 weeks for the plants to establish before air is blown into the root zone. Always ensure that warm air is blown into the root zone, temperatures between 18°C – 21°C are perfect. Never blow cold or hot air into the root zone.

ONLY BLOW WARM AIR - NEVER HOT OR COLD



If using air domes: place air pumps away from cold floor surfaces and, if the night temperatures in your grow space drop, use a timer to turn off the pump at night.

STEP 7: NUTRIENT CHOICES & FLUSHING

AutoPot Watering Systems can be used with organic or mineral nutrients. As with all watering systems, care must be taken when using nutrients, especially in the case of organics. For full details of nutrient use and suitability see Nutrient Guides on pages 10-11. Do not attempt feeding without first consulting these guides.

Flushing is NOT necessary with food crops. With other crops flushing **FROM ABOVE** is NOT necessary, simply supply plain water from the reservoir to the modules for the last 10-14 days. DO NOT pour water through the top of the pots. Salt build up occurs in the top 1"/2.5cm of the substrate, where it has no detrimental effect on plant growth. Pouring water through the pot at the flushing stage may damage roots due to the toxicity of the salt build up at the top of the substrate.

SUBSTRATE INFO - PAGE 9

NUTRIENT USE INFO - PAGES 10-11

PROPAGATION INFO - PAGES 12-13

RESERVOIRS & WATER INFO - PAGE 14

SYSTEM MAINTENANCE INFO - PAGE 15

ESSENTIALS

AutoPot Watering Systems are extremely versatile and can be used with the growing medium / substrate of your choice. In growing trials we have cultivated plants in a vast range of substrates from coral to denim and even pumice stone! Whatever substrate you decide to use make sure the mix is absorbent, light, fluffy and free draining. An ideal substrate for use with AutoPot is a 50% mix of perlite or clay pebbles with either soil or coco. The following guidelines and examples may provide a good basis for substrate success.

- For good drainage we recommend an AirBase (p. 43) in the base of each pot. Alternatively a 2.5cm layer of pH stable clay pebbles, pea gravel, Growstones may be used.
- Whether they are used at the bottom of the pot as additional drainage or as part of a mix, clay pebbles MUST be pH stable. Be aware that certain brands are NOT pH stable and will increase the pH of the water in the tray; this will negatively affect plant growth. To stabilise pebbles soak them in pH 5.0 water for 48hrs, then pour off water. DO NOT RINSE.
- Pay close attention to manufacturers instructions where preparation of media is concerned.
- Always use a good quality soil or coco from a reputable brand. Look for coco that has been buffered and stabilised. If unsure, pot up and pour approx 10L of pH 5.6 water and 1/4 strength feed through each pot - this will instantly stabilise the coco. Allow to drain thoroughly before use.
- Peat-based composts will compress if used alone, reducing the oxygen content in the root zone. Mix in perlite/clay pebbles/gravel to lighten the compost and improve aeration.

Consider that, though rich, peat can compress to virtual solidity. On the other hand Perlite will never compress. Try to create a mix that balances richness with aeration.

SUBSTRATE EXAMPLES & KEY QUALITIES

COCO / CLAY PEBBLES



Coco represents a natural, free-draining substrate that can be enhanced with beneficial bacteria and fungi to strengthen the root-zone and accelerate plant growth. The porosity and texture of the pebbles aids water retention, drainage and root-zone oxygenation.

COCO / PERLITE



Irregular, porous and rough surface textures such as those found on perlite granules provide aeration, superb water retention and also excellent drainage. Combined with the natural benefits and microbial enhancements available to coco, such mixes can give great results.

COCO / GROWSTONES



Growstones are made from recycled glass and are engineered to provide high porosity, improved aeration and better drainage of the root zone, while retaining water well. Growstones are alkaline and must be pH stabilised before use. Coco adds an active element to the mix by supporting bio-activity and, it is claimed, by delivering nutrients in sync with the plants requirements.

ROCKWOOL / CLAY PEBBLES



As it is derived from rocks Rockwool is inert and doesn't withhold or repel nutrients selectively in the way that some plant-based substrates can. Therefore it will deliver your nutrient solution in its purest form. However it will require buffering or stabilising in advance of use. Pebbles provide drainage and water retention.

SOIL / CLAY PEBBLES



Soil is an excellent medium for supporting bio-activity and soil-based substrates are available to a vast number of specifications. A complimentary medium is essential in order to provide drainage, aeration, and prevent compression in the root zone. Clay pebbles are an ideal choice.

SOIL / PERLITE



Combining any one of the huge range of soil-based grow media with perlite can produce a wonderfully diverse, active, and airy mix. Water is retained perfectly whilst still free to drain and the risk of compacting is minimised.



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS

NUTRIENT INFORMATION

AUTOPOT WATERING SYSTEMS



MINERAL NUTRIENTS

If mineral feeding is selected, the liquid or soluble mineral nutrient is simply added to the water in the reservoir in a controlled manner and fed via the pipework to the AQUAvalves in the module trays. From there the plants take up the water/nutrient solution as and when they require it. Feed according to nutrient producers' guidelines.

ORGANIC NUTRIENTS

We recommend the following techniques when using organics with AutoPot Watering Systems - see below for Reservoir Feeding and opposite for Pot Feeding. The arrival of AQUAvalve5 has revolutionised the way in which organics can be fed through AutoPot Watering Systems. For the first time, we can recommend almost constant feeding of liquid organic nutrients, additives, and boosters in solution via the reservoir and pipework. It should be noted that this applies only to systems equipped with AQUAvalve5 and 9mm pipe and fittings. Earlier model AQUAvalves with 6mm pipe and fittings cannot feed liquid organics in solution via the reservoir and pipework on a constant basis. The wider apertures of fittings and pipework on AQUAvalve5 equipped systems produce vastly increased flow rates that practically eliminate potential blockages.


ORGANICS - RESERVOIR FEEDING

Supply of liquid organic feeds from the reservoir via pipework. **Only applicable to AQUAvalve5 equipped systems with 9mm pipework and fittings.**


Uses: Employed by organic growers who wish to simplify and automate to the greatest possible degree. Ideal for confined spaces, large numbers of modules and max. automation.

Requirements: Watering system fitted with flush taps at ends of pipework runs. Reservoir to supply liquid organic feed in solution for the duration of the grow. Liquid organic feed.

Step 1. Setting Up




A Fill reservoir with water and liquid organic nutrient. Follow nutrient producer's directions when adding feed.




B A water pump should be used in the reservoir to keep the solution moving. It should not be necessary to run the pump constantly. 15mins every 2hrs is ideal.

Step 2. Once the reservoir has emptied



A Switch the reservoir off.



B Disconnect the reservoir.



C Clean the reservoir inside. Clean the water pump and inline filter. Reconnect.




D Refill with plain water only.


Step 3. Flush the pipework



A Switch the reservoir on.



B Place the flush taps at the ends of pipework runs into a container / safe drainage.



C Open flush taps for 30-60 secs. Allow plain water to flow out until it runs clear.




D Close flush taps. Feed plants on plain water from reservoir for 24 hours.

Step 4. 24hrs after flushing



A Top up the reservoir with water as necessary.



B Add liquid organic feed again to correct dosage. Repeat.

NUTRIENT INFORMATION

AUTOPOT WATERING SYSTEMS



Those wishing to grow organically with soil-based nutrients can also do so with AutoPot Watering Systems by Pot Feeding

ORGANICS - POT FEEDING

Use organic time release tabs, organic soils and/or bacteria in the pots. Use the reservoir and pipework to supply water only during the useful lifespan of the soil-based nutrients. Then, if required, for latter stages of growth hand feed organic feeds/teas directly into the trays or employ Reservoir Feeding (see Reservoir Feeding opposite) via the reservoir and pipework. Organic soils, bacteria and/or soil-based time-release tabs may become depleted after 5-7 weeks. The lifespan of soil or soil-based nutrients will depend on the type of plants being grown and the size of the pot being used. Regardless, an organic liquid supplement may become necessary during the latter stages of growth.

Uses: Employed by those wishing to maximise control, customisation and/or use a variety of feed types including organic time release tabs/organic soils and/or bacteria in the pots with teas or organic feeds in latter stages.

Requirements: Watering system and reservoir. Reservoir supplies only plain water for the duration of the grow unless switching to Reservoir Feeding for latter growth stages.

Organic time release tabs/organic soils and/or bacteria in the pots.

Organic teas/boosters/feeds if Hand Feeding latter growth stages.

If Reservoir Feeding in latter growth stages see **Reservoir Feeding Requirements** (opposite).

ORGANICS - POT FEEDING TECHNIQUE

Step 1. Potting Up and Setting Up

- When potting up use organic soils and/or add bacteria and/or organic time release tabs of your choice to the substrate. Reservoir supplies your plants with water only.





Step 2. If useful lifespan of soil-based nutrients has elapsed

- Either Reservoir Feed. See Reservoir Feeding section (overleaf) for details.
- Or Hand Feed (see below) directly into module trays


Step 3. Hand Feed organics directly into the trays - Once every 5-7 days

- Switch Reservoir off and allow module trays to run dry - approx 12hrs




Step 4. 12hrs after switching off Reservoir

- Prepare the organic solution of your choice




Step 5.

- Using a small watering can or jug, pour the solution in a controlled manner next to the AQUAvalve, NOT ON THE AQUAvalve




- Fill the tray to the point where the pipe enters the tray and stop
- DO NOT pour the solution into the top of the pot as you will potentially risk flooding the tray and growing area



- Leave the solution to be consumed by the plants in each tray and then repeat the process after 30 minutes

Step 6. 24hrs after feeding/once trays have run dry

- Switch Reservoir on to restore supply of water.
- Repeat process every 5-7 days as required



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS

PREPARATION

CocoMats are an excellent means of irrigating and feeding young plants during propagation. Made of coco fibre and natural latex, the CocoMat controls watering by holding and gradually wicking the water to the plants via capillary action. CocoMats can be cut to fit any size of garden tray. Prepare your CocoMat, place into your tray, followed by a root control sheet and sit small pots, seed trays, plugs, cubes, or root balls on top.

To prepare your CocoMat place it in pH 4.5 water and keep fully submerged to soak for 24-48hrs. During this 24-48hrs the pH of the water may fluctuate as the CocoMat stabilises. There is no need to compensate for fluctuation in the pH levels. A root control sheet will be required on top of the CocoMat. To prepare, submerge the root control sheet in water for 30mins. This is merely in order to wet the sheet. It is not necessary to check the water pH during this soak.

SET UP - USING EASY2PROPAGATE WITHOUT AQUAVALVE

Growers can use CocoMat in easy2Propagate with or without AQUAvalve. If not using AQUAvalve simply place the prepared CocoMat in the easy2Propagate tray. Place the prepared root control sheet on top of the CocoMat – copper face up.

Place small pots or seed trays on the surface of the root control sheet. Ensure pots/seed trays are flat based and that they allow the growing media to make contact with the surface of the root control sheet. If using plugs, cubes or root balls ensure that they are in full contact with the root control sheet.

Water through each pot, seed tray, seed cell, cube, plug, or root ball once from the top. This helps ensure capillary action starts between the surface of the root control sheet and the growing media on the root control sheet. Pour water into the tray until the CocoMat is 2/3 submerged. Quarter strength nutrient solution may be added if required.

To ensure that your plants receive full levels of light remove protective film from easy2Propagate Lid. Place easy2Propagate Lid onto tray ensuring all corners are fitted snugly.


SET UP - USING EASY2PROPAGATE WITH AQUAVALVE

Cut a section out of one corner of the CocoMat using heavy duty scissors, this is to allow a space for the AQUAvalve and AQUAvalve cover to sit on the garden tray. Allow sufficient space for both to fit comfortably - 20cm x 12cm is ideal. Cutting is easier after the CocoMat has been soaked. Cut an identically sized, identically placed section out of the root control sheet to allow placement of the AQUAvalve and AQUAvalve cover. Place the CocoMat in the easy2Propagate tray. Place the root control sheet on top of the CocoMat copper face up.

Now place small pots or seed trays on the surface of the root control sheet. Ensure that pots / seed trays are flat based and that they allow the growing media to make contact with the surface of the root control sheet. Similarly, always ensure that plugs, cubes or root balls are in full contact with the root control sheet.

Water through each pot, seed cell, cube, plug, or root ball once from the top. This will help ensure that capillary action starts between the surface of the root control sheet and the growing media in contact with the root control sheet.


SET UP - THE AQUAVALVE



OPERATION


There are four vents in the easy2Propagate lid. Initially these should be kept shut to maintain warmth and humidity levels. Later the vents can gradually be opened as small seedlings/cuttings establish a root system and need "hardening off". See illustration below for further details.

Close vents to generate temperature and humidity




If your area is not sufficiently warm use heat pads under the tray or propagation lights above it to warm the water and create humidity.

When to begin opening the vents



Once the seedlings or cuttings have rooted you can begin to gradually open the vents.

Hardening off



Once the vents are fully opened leave for several days prior to removing the lid.

SEE PAGE 48 FOR EASY2PROPAGATE

SEE PAGE 54 FOR MODULE PROPAGATION LIDS

ADVICE

Nutrients - Suitable mineral fertilisers, whether liquid or powdered, can be used if required. Do not attempt to use organic fertilisers when using CocoMats. The CocoMats are designed to deliver nutrients at exactly the gradual rate required by plants at this stage of development. This gradual rate of nutrient uptake is far slower than the rate at which organic nutrients decompose. Organic nutrients will simply fall apart before they reach the plants.

Remember that young plants need less food than established ones. Do not connect your easy2Propagate to an AutoPot growing system that is also feeding established plants.

Water - All water supplied to the propagator, whether enriched with nutrients or not, should have a pH of 5.5-5.6. This pH level best complements the composition of the CocoMat. The desirable EC/ppm of the water being supplied will be dependant on the stage of the young plants growth and the substrate used.

Substrates & Pots - Plants or seedlings in pots, seed trays, plugs or cubes can be propagated on CocoMats in an easy2Propagate. If pots or seed trays are chosen they may contain a wide range of substrates or blends - rockwool, soil, coco, perlite, and vermiculite represent just a few examples. If a potted substrate or blend is selected it must contain some ingredient that supports capillary action.

If using raised terracotta or bonsai pots, a small length of capillary matting (not included) can be cut and pushed inside the hole at the bottom of the raised pot. The capillary matting will act as a wick.

Orchids will thrive when using the easy2Propagate but will need to be in net pots or similar, please note that suitable water, such as rain water will need to be used if irrigating Orchids along with a suitable liquid mineral feed.

Temperature - During germination/rooting of cuttings we recommend a target temperature of 70-80°F / 25-30°C with minimum 80% humidity. Once rooted reduce temperature and humidity by 10/15%.

A suitable heat mat can be used under the easy2Propagate tray to help maintain warmth to delicate young plants, if required.

Connection - Multiple easy2Propagate units can be simultaneously fed from a single reservoir. Each propagator can be added as an extension from the main feeding line in a matter of minutes. easy2Propagate incorporates AutoPot AQUAvalve technology so each propagator functions entirely independently of the others, there is no recirculation of water or nutrients, no plumbing is required for waste as the units utilise every drop. Growth in each propagator can commence or cease without impacting other propagators in the system.

Such propagation systems are often created with the use of Danish trolleys and a header reservoir/tank. The Danish trolleys can be used to incorporate lights and/or heat mats and will help maximise growing space. If Danish trolleys are not an option then multiple propagators may still function in a system. Whatever the arrangement, ensure the reservoir is positioned above the highest propagator.

After plants have been potted up and have grown larger the easy2Propagate can continue to be utilised without the dome in order to provide ultra-low maintenance feeding.



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS

TYPES OF RESERVOIR

- AutoPot Watering Systems are supplied with reservoirs specifically selected on the basis of their capacity to serve the number of pots in that system.
- Should you wish to use an alternative reservoir it is simple to do so thanks to our range of click-fit adapters and filters but it is important to ensure you have sufficient capacity.
- AutoPot offer three types of reservoir; Rigid Plastic Reservoirs, FlexiTanks and FlexiTank Pro. Rigid Plastic Reservoirs are supplied with smaller systems. FlexiTanks come as standard with any system of six pots or more (1Pot XL/XL FlexiPot) and with any system of eight pots or more (1Pot/easy2grow). FlexiTank Pro is an optional upgrade / separate.
- The guidance below applies to all three types of AutoPot reservoirs. It also applies as a general guide to use of non-AutoPot reservoirs where combined with AutoPot Watering Systems, although we cannot take responsibility for any issues arising from the use of non-AutoPot reservoirs or the use of guidance below in relation to non-AutoPot reservoirs.

SET UP

- Get your reservoir correctly positioned before filling. Never attempt to drag or otherwise reposition a reservoir when in use, regardless of the fill level.
- Gravity pressure is necessary in order for the system to function therefore always raise your reservoir to a minimum of 150mm above the highest AQUAvalve.
- Always use a filter with your reservoir, check filters once a week and clean if necessary - especially if using organics / if in a poor water area.
- Do not place an air stone in the reservoir as this can raise pH levels of the nutrient solution. A water pump may be used to agitate the solution but is not necessary.

OPERATION

- Gravity pressure is necessary in order for the system to function - therefore always raise your tank to a minimum of 150mm above the highest AQUAvalve.
- AQUAvalve5 has revolutionised the way in which organics can be fed through AutoPot Watering Systems. For the first time, we can recommend almost constant feeding of liquid organic nutrients, additives, and boosters in solution via the reservoir and pipework. It should be noted that this applies only to systems equipped with AQUAvalve5 and 9mm pipe and fittings. Earlier model AQUAvalves with 6mm pipe and fittings cannot feed liquid organics in solution via the reservoir and pipework on a constant basis. The wider apertures of fittings and pipework on AQUAvalve5 equipped systems produce vastly increased flow rates that practically eliminate potential blockages.
- Re-fill the reservoir when there is approximately a 1/3 of the solution left - NEVER ALLOW THE RESERVOIR TO RUN EMPTY.
- When refilling the reservoir turn the tap off. Refill then leave for 30-60 minutes. Then turn the tap back on. This procedure prevents any sediment being pulled through the pipes whilst refilling.
- Use your reservoir to flush your pots at the end of your growing season. Simply supply pH stable plain water from the reservoir to the modules for the last 10-14 days. DO NOT pour water through the top of the pots. Salt build up occurs in the top 1"/2.5cm of the substrate, where it has no detrimental effect on the plants growth. Pouring water through the pot at the flushing stage may damage roots due to the toxicity of the salt build up at the top of the substrate.

WATER & TEMPERATURE

- Generally the reservoir is best positioned outside the growing area. Aim for a water temperature of between 18 and 21°C in the reservoir
- Aim for a reservoir pH of 5.8 if growing with soil or 5.5-5.6 if with coco. When using AutoPot, ultimately the most important pH level is that found in the module tray with 6-6.5 being the ideal range and 6.3 being perfect. Fine-tune your reservoir pH to achieve this.
- Always use a filter with your reservoir, check filters once a week and clean if necessary - especially if using organics / if in a poor water area.
- If you are in a hard water area it may be necessary to flush your pipework more than once a week. Hard water reacts more with nutrients creating sediments that can build up.
- We always recommend the use of Water Monitoring devices. Such devices allow you to monitor temperature, pH, and conductivity. They help you read the warning signs before your plants are affected by fluctuations, they can illuminate the causes of changes in growth and, ultimately, they can ensure you get the most from your plants.
- If your water temperatures exceed 21°C / 70°F oxygen content in the water starts to rapidly decrease. This may have an adverse effect on plant health.
- If using organics, additives, or boosters clean the reservoir every time it is almost empty. To do this, disconnect, empty and discard any remaining nutrient, clean the tank out, and refill with pH stable plain water. Reconnect and run with this pH stable plain water for 12/24hrs before adding feed again.

ALL AUTOPOT MODULES & WATERING SYSTEMS

- The entire AutoPot range is now supplied as standard with the improved, large-bore AQUAvalve5 and with 9mm, 9-16mm, and 16mm pipework and fittings.
- The original AQUAvalve, the 6mm pipework and 6mm fittings previously supplied with AutoPot Watering Systems are still available as spares, as are 16mm-6mm fittings.
- Pre-2020 1Pot, XL, XL FlexiPot, and easy2grow trays, pots and lids will accommodate the new AQUAvalve5, the 9mm fittings and 9mm pipe.
- Newly sold Tray Systems, AQUAbox Straight, AQUAbox Spyder, and 47L/30L Tanks are drilled out to accept 9mm pipe and fittings. Pre-2020 Tray System, AQUAbox Straight, and AQUAbox Spyder will fit AQUAvalve5 but will need existing holes drilling out to 12mm. Use a 9mm Grommet and 9mm Golf Filter to run 9mm pipe required for AQUAvalve5.
- Pre-2020 47L/30L Tanks need existing holes drilling out to 12mm. Use a 9mm Grommet and 9mm Golf Filter to run 9mm pipe required for AQUAvalve5.
- FlexiTank and FlexiTank Pro Couplers are unchanged. Only in the event of connecting directly to 9mm pipe do they require the new 16mm-9mm Filter and Adapter.



FILTERS

- Always use a filter with your reservoir, check filters once a week and clean if necessary - especially if using organics / if in a poor water area.
- Wash filter material in mild soap and lukewarm water or in dilute hydrogen peroxide
- Once disassembled the filter bodies can be washed in mild soap and lukewarm water, in dilute hydrogen peroxide, or in a dishwasher
- Depending on the condition of your filter replace every 5 yrs. Golf Filters feature a replaceable material available separately from AutoPot.



AQUAVALVE

Ensuring that the AQUAvalve floods and drains correctly

- Ensure the two silicones are in place. Hold the AQUAvalve at eye level so that you can see the silicone fitted to the top float resting on the hole below it. The silicone must create a tight seal when touching the hole. If it looks like it is not sitting parallel on the hole below, simply lift the top float and apply pressure to one side of the silicone, drop the float and hold at eye level again. Repeat the procedure if necessary.
- Ensure the AQUAvalve is secured to the tray. If using AutoPot trays position the half-moon on the bottom of the AQUAvalve over the T-section in the tray, push down firmly on the main body only. If using in a garden tray place an AQUAvalve Cover over the AQUAvalve.

Cleaning

- AQUAvalve is easily disassembled. Held vertically the top float will slide all the way across. The bottom float unclips from its pivot position.
- Ensure that silicones are removed from the AQUAvalve before cleaning and are only replaced when the AQUAvalve is completely dry.
- AQUAvalves can be scrubbed using a toothbrush or even placed in the dishwasher.
- Blowing through the AQUAvalve nozzle or use of a pipe cleaner or paperclip will help remove any build up that has occurred.
- When disassembling the system dip the still-connected AQUAvalve and pipe in hot water to ease separation. Once loosened remove the pipework by pulling it directly away from the nozzle. Avoid twisting/wiggling the end of the pipe away from the nozzle.
- Do not under any circumstances use a drill to clear the AQUAvalve nozzle. This will potentially damage the AQUAvalve beyond repair.



FITTINGS

- Utilise the flush taps at the ends of the pipework to help keep the system clean and free of sediment. To do so open each tap into a bucket or similar for 30 secs-1 min. Do this once a week if using mineral nutrient. Ideally undertake once you have re-filled your reservoir and allowed it to settle for an hour. A full reservoir provides you with the maximum pressure to flush.
- AutoPot only supply and only recommend official AutoPot-branded fittings for use with AutoPot Watering Systems.



PIPEWORK

- Dip the end of your pipe in **hot water** before connecting to fittings. This will soften the pipe and allow you to connect fittings with ease.
- Dip the end of your pipe in **cold water** before passing through grommets. This will harden the pipe, aiding insertion.
- When disassembling the system dip still-connected fittings and pipework in hot water to ease separation.
- If using mineral additives or organics in a larger system you may wish to use a line cleaner such as D-Block, Drip Clean or Keep It Clean. With regular plain water flushing this should not be absolutely necessary but remains an option if desired.



FLEXIPOTS


- FlexiPots are incredibly durable and can be reused repeatedly. They can also be washed if desired.
- Powdery green or white discolouration can occur on the outside of the pot but is entirely natural. It is merely salt or mineral build up.
- Empty after using and let the pot dry. After a few days remaining debris will easily brush off. At this point the pot is ready for reuse.
- If desired, growers can then also wash the bags in peroxide to sterilize - either in a washing machine or dipped in a tub.
- Allow to dry naturally. Do not put FlexiPots in a tumble dryer.



PLASTIC POTS

- Always clean the side and bottom of each pot before you place in the tray, this will remove any soil particles and ensure your system is clean. In turn ensuring your AQUAvalve is kept clean and free of growing media - especially if growing with Perlite.
- The 15L pots used in the 1Pot module and the 8.5L pots used in the easy2grow module are interchangeable and can be used in either tray.
- Don't place trays on cold concrete floors, water in the tray will be chilled from below and will effect plant growth. Consider placing polystyrene, cardboard under each tray to ensure the water temperature in the tray is not affected. Always ensure trays are level.





INCREDIBLE YIELDS FOR HOUSEHOLD GARDENERS AND COMMERCIAL GROWERS
FOR ALL STAGES OF ADULT GROWTH - 15 L POT AS STANDARD, ALSO FITS 8.5 L
SIMPLE, EFFICIENT, LOW MAINTENANCE FEEDING AND WATERING OF PLANTS



EFFICIENCY

As with all AutoPot Watering Systems, the 1Pot module operates power-free without wasting a drop of water or fertiliser. The benefits of this efficiency are twofold. Your overheads are decimated at a stroke and, without reliance on utilities, any space becomes a viable proposition for growing.

VERSATILITY

The 1Pot Module can be used for a wide range of plant types and sizes. Flowering plants and shrubs thrive and produce an abundance of blooms and foliage. Modules are supplied with 15L pots but the tray also perfectly accommodates our 8.5 L pot, allowing you to alternate between crops with ease.


LONGEVITY

If your plants require a large individual footprint, typically achieve greater-than-average height, or grow over a longer period then the 1Pot Module represents an excellent option. AutoPot modules require no plumbing for recirculation or waste water so they can be added or removed from a layout at will.

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 [@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



ALL SYSTEMS COMPLETE WITH PIPEWORK & FITTINGS

ASK YOUR STORE FOR FLEXI PRO OPTIONS

RRP - RECOMMENDED RETAIL PRICE



SCAN TO VIEW ONLINE

◀ WITH 15L POTS



FOR FLOOR SPACE REQUIREMENTS SEE PAGES: 18-19



1POT SYSTEM - AP200/SQ/1
with 47L reservoir

RRP £50.00



2POT SYSTEM - AP200/SQ/2
with 47L reservoir

RRP £77.50



4POT SYSTEM - AP200/SQ/1
with 47L reservoir

RRP £112.00



6POT SYSTEM - AP200/SQ/6
with 47L reservoir

RRP £176.00



8POT SYSTEM - AP200/SQ/8
with 100L FlexiTank

RRP £275.00



9POT SYSTEM - AP200/SQ/9
with 100L FlexiTank

RRP £308.50



12POT SYSTEM - AP200/SQ/12
with 225L FlexiTank

RRP £410.00



16POT SYSTEM - AP200/SQ/16
with 225L FlexiTank

RRP £500.00



24POT SYSTEM - AP200/SQ/24
with 400L FlexiTank

RRP £730.00



36POT SYSTEM - AP200/SQ/36
with 400L FlexiTank

RRP £1,020.00



48POT SYSTEM - AP200/SQ/48
with 400L FlexiTank

RRP £1,310.00



60POT SYSTEM - AP200/SQ/60
with 400L FlexiTank

RRP £1,600.00



80POT SYSTEM - AP200/SQ/80
with 750L FlexiTank

RRP £2,125.00



100POT SYSTEM - AP200/SQ/100
with 750L FlexiTank

RRP £2,455.00



@AUTOPOTUK




AUTOPOT.CO.UK




@AUTOPOTSYSTEMS

SYSTEM SPECIFICATIONS




9mm pipe - Outside Ø 9mm/Inside Ø 7mm 16mm pipe - Outside Ø 16mm/Inside Ø 13mm


AQUAvalve5	9mm Top Hat (TH) Grommet	9mm pipe	9mm Inline Tap
16mm Click Fit Filter	9mm Golf Filter	16mm pipe	16mm Inline Tap




1POT SYSTEM - AP200/SQ/1




4POT SYSTEM - 4POT/PACK/1




8POT SYSTEM - AP200/SQ/8




12POT SYSTEM - AP200/SQ/12




2POT SYSTEM - AP200/SQ/2




6POT SYSTEM - AP200/SQ/6




9POT SYSTEM - AP200/SQ/9




16POT SYSTEM - AP200/SQ/16



24POT SYSTEM - AP200/SQ/24



36POT SYSTEM - AP200/SQ/36




CONTENTS

1x 400 L FlexiTank	24x 9mm TH grommet	24x AQUAvalve5
24x 1Pot tray & lid	1x 16mm tee connector	24x root control disc
1x 16mm click-fit filter	12x 16-9mm cross connector	24x marix disc
2x 16mm inline tap	24x 15 L pot	12 m of 9mm pipe

FLOORSPACE REQUIREMENTS: 2M x 3M EX. RES.



48POT SYSTEM - AP200/SQ/48




CONTENTS

1x 400 L FlexiTank	48x 9mm TH grommet	48x AQUAvalve5
48x 1Pot tray & lid	1x 16mm cross connector	48x root control disc
1x 16mm click-fit filter	24x 16-9mm cross connector	48x marix disc
3x 16mm inline tap	48x 15 L pot	24 m of 9mm pipe

FLOORSPACE REQUIREMENTS: 4M x 4M EX. RES.



80POT SYSTEM - AP200/SQ/80




CONTENTS

1x 750 L FlexiTank	80x 9mm TH grommet	80x marix disc
80x 1Pot tray & lid	40x 16-9mm cross connector	40 m of 9mm pipe
1x 16mm click-fit filter	80x 15 L pot	30 m of 16mm pipe
4x 16mm inline tap	80x AQUAvalve5	1x instruction sheet
3x 16mm tee connector	80x root control disc	

FLOORSPACE REQUIREMENTS: 6M x 5M EX. RES.



60POT SYSTEM - AP200/SQ/60




CONTENTS

1x 400 L FlexiTank	60x 9mm TH grommet	60x AQUAvalve5
60x 1Pot tray & lid	1x 16mm cross connector	60x root control disc
1x 16mm click-fit filter	30x 16-9mm cross connector	60x marix disc
3x 16mm inline tap	60x 15 L pot	30 m of 9mm pipe

FLOORSPACE REQUIREMENTS: 5.5M x 3.5M EX. RES.



100POT SYSTEM - AP200/SQ/100



CONTENTS

1x 750 L FlexiTank	100x 9mm TH grommet	100x marix disc
100x 1Pot tray & lid	1x 16mm cross connector	100x root control disc
1x 16mm click-fit filter	50x 16-9mm cross connector	50 m of 9mm pipe
5x 16mm inline tap	100x 15 L pot	40 m of 16mm pipe
2x 16mm tee connector	100x AQUAvalve5	1x instruction sheet

FLOORSPACE REQUIREMENTS: 6M x 5.5M EX. RES.



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



IDEAL FOR SHORT, BUSHY VARIETIES OR TALL-GROWING VINE PLANTS

PERFECT FOR LARGER PLANTS DURING INITIAL STAGES OF ADULT GROWTH

AVAILABLE WITH 8.5 L OR 15 L POTS - ALTERNATE YOUR CROPS AT WILL



MAXIMUM OUTPUT

easy2grow's phenomenally space-efficient two-pot module has been helping growers get the absolute maximum out of their available spaces for years. The systems are ideally suited to either short, bushy varieties like herbs or strawberries, or tall growing vine plants.

EARLY STAGES

With larger plants the systems can provide a perfect solution for initial stages of adult growth. The pots provide ample space in which young plants can thrive whilst AutoPot AQUAvalve technology ensures they are fed and watered exactly as and when required

SCALABILITY

easy2grow is supplied with 8.5 L pots as standard but is also available with 15 L pots. A potentially infinite number of modules can be added to a system as and when required. These qualities make easy2grow ideal for alternating crops and for phased expansion.

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 [@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



ALL SYSTEMS COMPLETE WITH PIPEWORK & FITTINGS

ASK YOUR STORE FOR FLEXI PRO OPTIONS

RRP - RECOMMENDED RETAIL PRICE



SCAN TO VIEW ONLINE



WITH 8.5L POTS >>

FOR FLOOR SPACE REQUIREMENTS SEE PAGES: 22-23



with 47L reservoir

EASY2GROW KIT - AP201/SQ RRP £58.50
WITH 15L POTS - AP202/SQ RRP £60.90



with 47L reservoir

EASY2GROW 4 - AP201/SQ/4 RRP £92.00
WITH 15L POTS - AP202/SQ/4 RRP £99.60



with 47L reservoir

EASY2GROW 6 - AP201/SQ/6 RRP £125.00
WITH 15L POTS - AP202/SQ/6 RRP £136.40



with 100L FlexiTank

EASY2GROW 12 - AP201/SQ/12 RRP £247.50
WITH 15L POTS - AP202/SQ/12 RRP £270.30



with 225L FlexiTank

EASY2GROW 16 - AP201/SQ/16 RRP £324.50
WITH 15L POTS - AP202/SQ/16 RRP £354.90



with 225L FlexiTank

EASY2GROW 20 - AP201/SQ/20 RRP £385.00
WITH 15L POTS - AP202/SQ/20 RRP £423.00



with 225L FlexiTank

EASY2GROW 24 - AP204/SQ/24 RRP £450.00
WITH 15L POTS - AP202/SQ/24 RRP £495.60



with 400L FlexiTank

EASY2GROW 40 - AP201/SQ/40 RRP £710.00
WITH 15L POTS - AP202/SQ/40 RRP £786.00



with 400L FlexiTank

EASY2GROW 48 - AP201/SQ/48 RRP £820.00
WITH 15L POTS - AP202/SQ/48 RRP £911.20



with 400L FlexiTank

EASY2GROW 60 - AP201/SQ/60 RRP £980.00
WITH 15L POTS - AP202/SQ/60 RRP £1,094.00



with 750L FlexiTank

EASY2GROW 80 - AP201/SQ/80 RRP £1,320.00
WITH 15L POTS - AP202/SQ/80 RRP £1,472.00



with 750L FlexiTank

EASY2GROW 100 - AP201/SQ/100 RRP £1,600.00
WITH 15L POTS - AP202/SQ/100 RRP £1,790.00



@AUTOPOTUK



AUTOPOT.CO.UK




@AUTOPOTSYSTEMS




SYSTEM SPECIFICATIONS

9mm pipe - Outside Ø 9mm/Inside Ø 7mm 16mm pipe - Outside Ø 16mm/Inside Ø 13mm

AQUAvalve	9mm Top Hat (TH) Grommet	9mm pipe	9mm Inline Tap
16mm Click Fit Filter	9mm Golf Filter	16mm pipe	16mm Inline Tap




EASY2GROW KIT - AP201/SQ or 15L* AP202/SQ



CONTENTS	2x 9mm inline tap
1x 47 L reservoir & lid	1x 9mm tee connector
1x 9mm TH grommet	1x AQUAvalve5
1x 9mm golf filter	1.5 m of 9mm pipe
1x 2Pot tray & lid	2x marix disc
2x 8.5 L pot / *15 L pot	2x PotSock Square

FLOORSPACE REQUIREMENTS: 0.8M x 0.8M EX. RES.

EASY2GROW 6 - AP201/SQ/6 or 15L* AP202/SQ/6




CONTENTS

1x 47 L reservoir & lid	1x 9mm golf filter	3x AQUAvalve5	6x PotSock Square
3x 2Pot tray & lid	6x 8.5 L pot / *15 L pot	3x 9mm tee connector	6x marix disc
1x 9mm TH grommet	2x 9mm inline tap	4 m of 9mm pipe	1x instruction sheet

FLOORSPACE REQUIREMENTS: 1.2M x 1.2M EX. RES.

EASY2GROW 16 - AP201/SQ/16 or 15L* AP202/SQ/16




CONTENTS

1x 225 L FlexiTank	16x 8.5 L pot / *15 L pot	4x 16-9mm cross connector	16x PotSock Square
8x 2Pot tray & lid	1x 16mm inline tap	4 m of 9mm pipe	16x marix disc
1x 16mm click-fit filter	8x AQUAvalve5	4 m of 16mm pipe	1x instruction sheet

FLOORSPACE REQUIREMENTS: 2.5M x 1M EX. RES.

EASY2GROW 24 - AP201/SQ/24 or 15L* AP202/SQ/24




CONTENTS

1x 225 L FlexiTank	2x 16mm inline tap	6x 16-9mm cross connector	24x PotSock Square
12x 2Pot tray & lid	12x AQUAvalve5	6 m of 9mm pipe	24x marix disc
1x 16mm click-fit filter	1x 16mm tee connector	8 m of 16mm pipe	1x instruction sheet
24x 8.5 L pot / *15 L pot			

FLOORSPACE REQUIREMENTS: 2.5M x 2M EX. RES.

EASY2GROW 4 - AP201/SQ/4 or 15L* AP202/SQ/4




CONTENTS

1x 47 L reservoir & lid	2x 9mm inline tap
1x 9mm TH grommet	2x 9mm tee connector
1x 9mm golf filter	2x AQUAvalve5
2x 2Pot tray & lid	3 m of 9mm pipe
4x 8.5 L pot / *15 L pot	4x marix disc
	4x PotSock Square

FLOORSPACE REQUIREMENTS: 1M x 1M EX. RES.

EASY2GROW 12 - AP201/SQ/12 or 15L* AP202/SQ/12




CONTENTS

1x 100 L FlexiTank	12x 8.5 L pot / *15 L pot	3x 16-9mm cross connector	12x PotSock Square
6x 2Pot tray & lid	1x 16mm inline tap	3 m of 9mm pipe	12x marix disc
1x 16mm click-fit filter	6x AQUAvalve5	3 m of 16mm pipe	1x instruction sheet

FLOORSPACE REQUIREMENTS: 1M x 2M EX. RES.

EASY2GROW 20 - AP201/SQ/20 or 15L* AP202/SQ/20




CONTENTS

1x 225 L FlexiTank	20x 8.5 L pot / *15 L pot	5x 16-9mm cross connector	20x PotSock Square
10x 2Pot tray & lid	1x 16mm inline tap	6 m of 9mm pipe	20x marix disc
1x 16mm click-fit filter	10x AQUAvalve5	6 m of 16mm pipe	1x instruction sheet

FLOORSPACE REQUIREMENTS: 3.5M x 1M EX. RES.





EASY2GROW 40 - AP201/SQ/40 or 15L* AP202/SQ/40




CONTENTS

1x 400 L FlexiTank	2x 16mm inline tap	10x 16-9mm cross connector	40x PotSock Square
20x 2Pot tray & lid	20x AQUAvalve5	10 m of 9mm pipe	40x marix disc
1x 16mm click-fit filter	1x 16mm tee connector	10 m of 16mm pipe	1x instruction sheet
40x 8.5 L pot / *15 L pot			

FLOORSPACE REQUIREMENTS: 2.5M x 3M EX. RES.





DEVELOPED BY AUTOPOT TO MEET THE DEMANDS OF THE AMBITIOUS GARDENER

FEATURING AN IMMENSE 25 LITRE GROWING CAPACITY

FOR GROWERS LOOKING TO CULTIVATE BIG PLANTS & ACHIEVE EVEN BIGGER YIELDS



FLEXIBLE BY DESIGN

The round base and modular design means each 1Pot XL module can be rotated, repositioned or removed without difficulty or detrimental effects on the system. Such adjustability maximises the efficiency of lighting arrangements at every stage of growth.

IMMENSE POT SIZE

A 25 L pot means plants grow efficiently, continuously and vigorously. Plant development in the 1Pot XL module is unhindered by the need to transfer to a larger pot, such is the module's exceptional capacity.


PLANT HEALTH

Each module is fed by its own AQUAvalve, responding to the plant's needs and ensuring each plant can develop at its own rate - essential for the stock, specimen and mother plants with which commercial and hobby growers populate their greenhouses.

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 [@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



ALL SYSTEMS COMPLETE WITH PIPEWORK & FITTINGS

ASK YOUR STORE FOR FLEXI PRO OPTIONS

RRP - RECOMMENDED RETAIL PRICE



SCAN TO VIEW ONLINE

WITH 25L POTS



FOR FLOOR SPACE REQUIREMENTS SEE PAGES: 26-27



1POT XL SYSTEM - AP300/XL/1
with 47L reservoir
RRP £53.00



2POT XL SYSTEM - AP300/XL/2
with 47L reservoir
RRP £83.50



4POT XL SYSTEM - AP300/XL/4
with 47L reservoir
RRP £150.00



6POT XL SYSTEM - AP300/XL/6
with 100L FlexiTank
RRP £250.00



8POT XL SYSTEM - AP300/XL/8
with 100L FlexiTank
RRP £305.00



9POT XL SYSTEM - AP300/XL/9
with 100L FlexiTank
RRP £340.00



12POT XL SYSTEM - AP300/XL/12
with 225L FlexiTank
RRP £455.00



16POT XL SYSTEM - AP300/XL/16
with 225L FlexiTank
RRP £590.00



24POT XL SYSTEM - AP300/XL/24
with 400L FlexiTank
RRP £880.00



36POT XL SYSTEM - AP300/XL/36
with 400L FlexiTank
RRP £1,220.00



48POT XL SYSTEM - AP300/XL/48
with 400L FlexiTank
RRP £1,560.00



60POT XL SYSTEM - AP300/XL/60
with 400L FlexiTank
RRP £1,845.00



80POT XL SYSTEM - AP300/XL/80
with 750L FlexiTank
RRP £2,380.00



100POT XL SYSTEM - AP300/XL/100
with 750L FlexiTank
RRP £2,890.00



@AUTOPOTUK




AUTOPOT.CO.UK



@AUTOPOTSYSTEMS


SYSTEM SPECIFICATIONS




9mm pipe - Outside Ø 9mm/Inside Ø 7mm 16mm pipe - Outside Ø 16mm/Inside Ø 13mm

AQUAvalve	9mm Top Hat (TH) Grommet	9mm pipe	9mm Inline Tap
16mm Click Fit Filter	9mm Golf Filter	16mm pipe	16mm Inline Tap


1POTXL SYSTEM - AP300/XL/1





4POTXL SYSTEM - AP300/XL/4



8POTXL SYSTEM - AP300/XL/8




12POTXL SYSTEM - AP300/XL/12




16mm Cross Connector	16-9mm Cross Connector	9mm Cross Connector
16mm Tee Connector	16-9mm Tee Connector	9mm Tee Connector


2POTXL SYSTEM - AP300/XL/2




6POTXL SYSTEM - AP300/XL/6




9POTXL SYSTEM - AP300/XL/9




16POTXL SYSTEM - AP300/XL/16



24POTXL SYSTEM - AP300/XL/24



36POTXL SYSTEM - AP300/XL/36




CONTENTS

1x 400 L FlexiTank	24x 9mm TH grommet	24x AQUAvalve5
24x 1Pot XL tray & lid	1x 16mm tee connector	24x XL root control disc
1x 16mm click-fit filter	12x 16-9mm cross connector	12 m of 9mm pipe
2x 16mm inline tap	24x 25 L pot	10 m of 16mm pipe

FLOORSPACE REQUIREMENTS: 3.5M x 3.5M EX. RES.



48POTXL SYSTEM - AP300/XL/48




CONTENTS

1x 400 L FlexiTank	48x 9mm TH grommet	48x AQUAvalve5
48x 1Pot XL tray & lid	1x 16mm cross connector	48x XL root control disc
1x 16mm click-fit filter	24x 16-9mm cross connector	24 m of 9mm pipe
3x 16mm inline tap	48x 25 L pot	20 m of 16mm pipe

FLOORSPACE REQUIREMENTS: 5M x 5M EX. RES.




80POTXL SYSTEM - AP300/XL/80




CONTENTS

1x 750 L FlexiTank	80x 9mm TH grommet	80x AQUAvalve5
80x 1Pot XL tray & lid	3x 16mm tee connector	80x XL root control disc
1x 16mm click-fit filter	40x 16-9mm cross connector	40 m of 9mm pipe
4x 16mm inline tap	80x 25 L pot	30 m of 16mm pipe

FLOORSPACE REQUIREMENTS: 6.5M x 6M EX. RES.



60POTXL SYSTEM - AP300/XL/60




CONTENTS

1x 400 L FlexiTank	60x 9mm TH grommet	60x AQUAvalve5
60x 1Pot XL tray & lid	1x 16mm cross connector	60x XL root control disc
1x 16mm click-fit filter	30x 16-9mm cross connector	30 m of 9mm pipe
3x 16mm inline tap	60x 25 L pot	25 m of 16mm pipe

FLOORSPACE REQUIREMENTS: 7M x 4.5M EX. RES.



100POTXL SYSTEM - AP300/XL/100



CONTENTS

1x 750 L FlexiTank	2x 16mm tee connector	100x 25 L pot
100x 1Pot XL tray & lid	100x 9mm TH grommet	100x AQUAvalve5
1x 16mm click-fit filter	1x 16mm cross connector	100x XL root control disc
5x 16mm inline tap	50x 16-9mm cross connector	50 m of 9mm pipe

FLOORSPACE REQUIREMENTS: 6.5M x 6.5M EX. RES.




@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



GROW IN FABRIC WITH AUTOPOT & THE INNOVATIVE NEW FLEXIPOT RANGE

GET BIGGER, STRONGER, FASTER GROWING PLANTS

FOR AIR-PRUNING, ZERO ROOT-CIRCLING & INCREASED OXYGENATION OF ROOT ZONE



THE ORIGINAL FLEXIPOT

AutoPot XL FlexiPot module takes the immense capacity and versatility of the 1Pot XL tray and incorporates the innovative new fabric FlexiPot. These 20 L BPA-free, Lead-free pots are guaranteed against off-gassing or leaching and provide a uniquely rigid base to help keep plants upright.

BIGGER, STRONGER PLANTS, FAST

FlexiPot's porous fabric sides mean air-pruning and zero root circling - giving you bigger plants from smaller pots. Increased secondary feeder roots vastly improve nutrient & water uptake. Increased oxygen exchange in the substrate helps to supercharge plant growth.


EASY TO SHIP, SELL & STORE

XL FlexiPot packs down 50% smaller and 50% lighter. This equates to huge reductions in shipping costs. The systems require less warehouse and shelf space and are easy for growers to transport and store. FlexiPots are incredibly durable and can be reused repeatedly for years.

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

[@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



ALL SYSTEMS COMPLETE WITH PIPEWORK & FITTINGS

ASK YOUR STORE FOR FLEXI PRO OPTIONS

RRP - RECOMMENDED RETAIL PRICE



SCAN TO VIEW ONLINE



WITH 20L POTS

FOR FLOOR SPACE REQUIREMENTS SEE PAGES: 30-31



FLEXIPOT 1 SYSTEM - APM1
with 47L reservoir
RRP £53.00



FLEXIPOT 2 SYSTEM - APM2
with 47L reservoir
RRP £85.00



FLEXIPOT 4 SYSTEM - APM4
with 47L reservoir
RRP £150.00



FLEXIPOT 6 SYSTEM - APM6
with 100L FlexiTank
RRP £255.00



FLEXIPOT 8 SYSTEM - APM8
with 100L FlexiTank
RRP £315.00



FLEXIPOT 9 SYSTEM - APM9
with 100L FlexiTank
RRP £350.00



FLEXIPOT 12 SYSTEM - APM12
with 225L FlexiTank
RRP £455.00



FLEXIPOT 16 SYSTEM - APM16
with 225L FlexiTank
RRP £595.00



FLEXIPOT 24 SYSTEM - APM24
with 400L FlexiTank
RRP £880.00



FLEXIPOT 36 SYSTEM - APM36
with 400L FlexiTank
RRP £1,220.00



FLEXIPOT 48 SYSTEM - APM48
with 400L FlexiTank
RRP £1,560.00



FLEXIPOT 60 SYSTEM - APM60
with 400L FlexiTank
RRP £1,845.00



FLEXIPOT 80 SYSTEM - APM80
RRP £2,390.00



FLEXIPOT 100 SYSTEM - APM100
RRP £2,890.00



@AUTOPOTUK




AUTOPOT.CO.UK



@AUTOPOTSYSTEMS


SYSTEM SPECIFICATIONS




9mm pipe - Outside Ø 9mm/Inside Ø 7mm 16mm pipe - Outside Ø 16mm/Inside Ø 13mm

AQUAvalve	9mm Top Hat (TH) Grommet	9mm pipe	9mm Inline Tap
16mm Click Fit Filter	9mm Golf Filter	16mm pipe	16mm Inline Tap


FLEXIPOT 1 SYSTEM - APSMART/1





FLEXIPOT 4 SYSTEM - APSMART/4



FLEXIPOT 8 SYSTEM - APSMART/8




FLEXIPOT 12 SYSTEM - APSMART/12




16mm Cross Connector	16-9mm Cross Connector	9mm Cross Connector
16mm Tee Connector	16-9mm Tee Connector	9mm Tee Connector


FLEXIPOT 2 SYSTEM - APSMART/2




FLEXIPOT 6 SYSTEM - APSMART/6




FLEXIPOT 9 SYSTEM - APSMART/9




FLEXIPOT 16 SYSTEM - APSMART/16



FLEXIPOT 24 SYSTEM - APSMART/24



FLEXIPOT 36 SYSTEM - APSMART/36




CONTENTS

- 1x 400 L FlexiTank
- 24x 9mm TH grommet
- 24x AQUAvalve5
- 24x 1Pot XL tray & lid
- 1x 16mm tee connector
- 24x PotSock Round
- 1x 16mm click-fit filter
- 12x 16-9mm cross connector
- 24x 20 L fabric FlexiPot
- 2x 16mm inline tap
- 10 m of 9mm pipe
- 10 m of 16mm pipe
- 1x instruction sheet

FLOORSPACE REQUIREMENTS: 3.5M x 3.5M EX. RES.



FLEXIPOT 48 SYSTEM - APSMART/48




CONTENTS

- 1x 400 L FlexiTank
- 48x 9mm TH grommet
- 48x AQUAvalve5
- 48x 1Pot XL tray & lid
- 1x 16mm cross connector
- 48x PotSock Round
- 1x 16mm click-fit filter
- 24x 16-9mm cross connector
- 48x 20 L fabric FlexiPot
- 3x 16mm inline tap
- 24 m of 9mm pipe
- 20 m of 16mm pipe
- 1x instruction sheet

FLOORSPACE REQUIREMENTS: 5M x 5M EX. RES.



FLEXIPOT 80 SYSTEM - APSMART/80




CONTENTS

- 1x 750 L FlexiTank
- 80x 9mm TH grommet
- 80x AQUAvalve5
- 80x 1Pot XL tray & lid
- 3x 16mm tee connector
- 80x PotSock Round
- 1x 16mm click-fit filter
- 40x 16-9mm cross connector
- 80x 20 L fabric FlexiPot
- 4x 16mm inline tap
- 30 m of 9mm pipe
- 30 m of 16mm pipe
- 1x instruction sheet

FLOORSPACE REQUIREMENTS: 6.5M x 6M EX. RES.



FLEXIPOT 60 SYSTEM - APSMART/60




CONTENTS

- 1x 400 L FlexiTank
- 60x 9mm TH grommet
- 60x AQUAvalve5
- 60x 1Pot XL tray & lid
- 1x 16mm cross connector
- 60x PotSock Round
- 1x 16mm click-fit filter
- 30x 16-9mm cross connector
- 60x 20 L fabric FlexiPot
- 3x 16mm inline tap
- 24 m of 9mm pipe
- 25 m of 16mm pipe
- 1x instruction sheet

FLOORSPACE REQUIREMENTS: 7M x 4.5M EX. RES.



FLEXIPOT 100 SYSTEM - APSMART/100



CONTENTS

- 1x 750 L FlexiTank
- 100x 9mm TH grommet
- 100x AQUAvalve5
- 100x 1Pot XL tray & lid
- 2x 16mm tee connector
- 100x PotSock Round
- 1x 16mm click-fit filter
- 50x 16-9mm cross connector
- 100x 20 L fabric FlexiPot
- 5x 16mm inline tap
- 40 m of 9mm pipe
- 50 m of 16mm pipe
- 1x instruction sheet

FLOORSPACE REQUIREMENTS: 6.5M x 6.5M EX. RES.



@AUTOPOTUK




AUTOPOT.CO.UK



@AUTOPOTSYSTEMS

**1Pot
XXL**



FOR THE BIGGEST, MOST FRUITFUL PLANTS IMAGINABLE

RESPONSIVE, POWER-FREE IRRIGATION & FEEDING FOR BIG PLANT GROWERS

SWITCH BETWEEN 35L AND 50L FABRIC POTS AT WILL



KNOW NO LIMITS

AutoPot XXL propels you into a new world of horticultural possibility, backed with technology that's proven to make the wildest, most fantastical, most fruitful plants a reality.

At last, a power-free watering system for 35 L and 50 L growers that truly satisfies the needs of their plants.

E: MAIL@AUTOPOT.CO.UK

ADAPT TO ANYTHING


An ingenious enlargement of our ever-popular XL module, XXL accommodates 35L or 50L fabric pots. An adaptive collar even allows growers to switch between pot sizes as required whilst still using the same tray. XXL35 comes with BPA-free, Lead-free, fabric FlexiPots, XXL50 comes with identically specced 50 L versions.

AUTOPOT.CO.UK

GROW WITH XXL

Cultivating big plants, whether one or many, requires time and technique. XXL brings ultra-low maintenance, plant-controlled AQUAvalve5 irrigation and feeding into the realm of giant growing - giving you the opportunity and head space to hone your horticultural skills.

@AUTOPOT_GLOBAL



WITH 35L POTS »



ALL SYSTEMS COMPLETE WITH PIPEWORK & FITTINGS

ASK YOUR STORE FOR FLEXI PRO OPTIONS

RRP - RECOMMENDED RETAIL PRICE



SCAN TO VIEW ONLINE

FOR FLOOR SPACE REQUIREMENTS SEE PAGES: 34-35



with 47L reservoir

1POT XXL35 - APXXL/35L/1

RRP £63.65

1POT XXL50 - APXXL/50L/1

RRP £63.65



with 47L reservoir

2POT XXL35 - APXXL/35L/2

RRP £106.50

2POT XXL50 - APXXL/50L/2

RRP £106.50



with 47L reservoir

4POT XXL35 - APXXL/35L/4

RRP £187.00

4POT XXL50 - APXXL/50L/4

RRP £187.00



with 100L FlexiTank

6POT XXL35 - APXXL/35L/6

RRP £310.00

6POT XXL50 - APXXL/50L/6

RRP £310.00



with 225L FlexiTank

8POT XXL35 - APXXL/35L/8

RRP £385.00

8POT XXL50 - APXXL/50L/8

RRP £385.00



with 225L FlexiTank

9POT XXL35 - APXXL/35L/9

RRP £430.00

9POT XXL50 - APXXL/50L/9

RRP £430.00



with 225L FlexiTank

12POT XXL35 - APXXL/35L/12

RRP £565.00

12POT XXL50 - APXXL/50L/12

RRP £565.00



with 225L FlexiTank

16POT XXL35 - APXXL/35L/16

RRP £720.00

16POT XXL50 - APXXL/50L/16

RRP £720.00



with 225L FlexiTank

24POT XXL35 - APXXL/35L/24

RRP £1,085.00

24POT XXL50 - APXXL/50L/24

RRP £1,085.00



with 400L FlexiTank

36POT XXL35 - APXXL/35L/36

RRP £1,550.00

36POT XXL50 - APXXL/50L/36

RRP £1,550.00



with 400L FlexiTank

48POT XXL35 - APXXL/35L/48

RRP £1,995.00

48POT XXL50 - APXXL/50L/48

RRP £1,995.00



with 400L FlexiTank

60POT XXL35 - APXXL/35L/60

RRP £2,395.00

60POT XXL50 - APXXL/50L/60

RRP £2,395.00



with 750L FlexiTank

80POT XXL35 - APXXL/35L/80

RRP £2,995.00

80POT XXL50 - APXXL/50L/80

RRP £2,995.00



with 750L FlexiTank

100POT XXL35 - APXXL/35L/100

RRP £3,495.00

100POT XXL50 - APXXL/50L/100

RRP £3,495.00



@AUTOPOTUK




AUTOPOT.CO.UK



@AUTOPOTSYSTEMS


SYSTEM SPECIFICATIONS

1Pot
XXL




9mm pipe - Outside Ø 9mm/Inside Ø 7mm 16mm pipe - Outside Ø 16mm/Inside Ø 13mm


AQUAvalve	9mm Top Hat (TH) Grommet	9mm pipe	9mm Inline Tap
16mm Click Fit Filter	9mm Golf Filter	16mm pipe	16mm Inline Tap




1POT XXL35 SYSTEM (35L POT) - APXXL/35/1 - or 1POT XXL50 SYSTEM* (50L POT) - APXXL/50/1





4POT XXL35 SYSTEM (35L POTS) - APXXL/35/4 - or 4POT XXL50 SYSTEM* (50L POTS) - APXXL/50/4



8POT XXL35 SYSTEM (35L POTS) - APXXL/35/8 - or 8POT XXL50 SYSTEM* (50L POTS) - APXXL/50/8




12POT XXL35 SYSTEM (35L POTS) - APXXL/35/12 - or 12POT XXL50 SYSTEM* (50L POTS) - APXXL/50/12




16mm Cross Connector	16-9mm Cross Connector	9mm Cross Connector	6mm Blanking Grommet
16mm Tee Connector	16-9mm Tee Connector	9mm Tee Connector	


2POT XXL35 SYSTEM (35L POTS) - APXXL/35/2 - or 2POT XXL50 SYSTEM* (50L POTS) - APXXL/50/2




6POT XXL35 SYSTEM (35L POTS) - APXXL/35/6 - or 6POT XXL50 SYSTEM* (50L POTS) - APXXL/50/6



9POT XXL35 SYSTEM (35L POTS) APXXL/35/9



16POT XXL35 SYSTEM (35L POTS) APXXL/35/16




E: MAIL@AUTOPOT.CO.UK


AUTOPOT.CO.UK

@AUTOPOT_GLOBAL

24POT XXL35 SYSTEM (35L POTS) APXXL/35/24
or 24POT XXL50 SYSTEM* (50L POTS) APXXL/50/24



36POT XXL35 SYSTEM (35L POTS) APXXL/35/36
or 36POT XXL50 SYSTEM* (50L POTS) APXXL/50/36




CONTENTS

1x 400 L FlexiTank	24x 9mm TH grommet	24x 35 L / *50 L fabric pot
24x XXL tray & lid	24x 6mm blanking grommet	24x AQUAvalve5
1x 16mm click-fit filter	1x 16mm tee connector	24x PotSock Round
2x 16mm inline tap	24x 16-9mm cross connector	12 m of 9mm pipe
		10 m of 16mm pipe
		24x adaptive collar (XXL35 only)

FLOORSPACE REQUIREMENTS: 9M x 3.5M EX. RES.

48POT XXL35 SYSTEM (35L POTS) - APXXL/35/48 - or 48POT XXL50 SYSTEM* (50L POTS) - APXXL/50/48




CONTENTS

1x 400 L FlexiTank	48x 9mm TH grommet	48x 35 L / 50 L* fabric pot
48x XXL tray & lid	48x 6mm blanking grommet	48x AQUAvalve5
1x 16mm click-fit filter	1x 16mm cross connector	48x PotSock Round
3x 16mm inline tap	24x 16-9mm cross connector	24 m of 9mm pipe
		20 m of 16mm pipe
		48x adaptive collar (XXL35 only)

FLOORSPACE REQUIREMENTS: 12M x 4.5M EX. RES.

80POT XXL35 SYSTEM (35L POTS) - APXXL/35/80 - or 80POT XXL50 SYSTEM* (50L POTS) - APXXL/50/80




CONTENTS

1x 750 L FlexiTank	80x 6mm blanking grommet	80x PotSock Round
80x XXL tray & lid	3x 16mm tee connector	40 m of 9mm pipe
1x 16mm click-fit filter	40x 16-9mm cross connector	30 m of 16mm pipe
4x 16mm inline tap	80x 35 L / 50 L fabric pot	80x adaptive collar (XXL35 only)
80x 9mm TH grommet	80x AQUAvalve5	

FLOORSPACE REQUIREMENTS: 15M x 6M EX. RES.

60POT XXL35 SYSTEM (35L POTS) - APXXL/35/60 - or 60POT XXL50 SYSTEM* (50L POTS) - APXXL/50/60




CONTENTS

1x 400 L FlexiTank	60x 9mm TH grommet	60x 35 L / *50 L fabric pot
60x XXL tray & lid	60x 6mm blanking grommet	60x AQUAvalve5
1x 16mm click-fit filter	1x 16mm cross connector	60x PotSock Round
3x 16mm inline tap	30x 16-9mm cross connector	30 m of 9mm pipe
		25 m of 16mm pipe
		60x adaptive collar (XXL35 only)

FLOORSPACE REQUIREMENTS: 15M x 4.5M EX. RES.

100POT XXL35 SYSTEM (35L POTS) - APXXL/35/100 - or 100POT XXL50 SYSTEM* (50L POTS) - APXXL/50/100



CONTENTS

1x 750 L FlexiTank	100x 6mm blanking grommet	100x 35 L / 50 L fabric pot
100x XXL tray & lid	2x 16mm tee connector	100x PotSock Round
1x 16mm click-fit filter	1x 16mm cross connector	50 m of 9mm pipe
5x 16mm inline tap	50x 16-9mm cross connector	40 m of 16mm pipe
100x 9mm TH grommet	100x AQUAvalve5	100x adaptive collar (XXL35 only)

FLOORSPACE REQUIREMENTS: 15M x 7.5M EX. RES.



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



SYSTEM MODULES

RRP = RECOMMENDED RETAIL PRICE

1POT MODULE - AP200/SQ RRP £27.50

15L POT



Includes:

- 1x 1Pot tray and lid
- 1x 9mm top hat grommet
- 1x 15 L pot,
- 1x AQUAvalve5,
- 1x 1m of 9mm pipe,
- 1x marix disc,
- 1x root control disc,
- 1x 9mm tee connector,
- 1x 16-9mm tee connector,
- 1x 16-9mm cross connector

EASY2GROW MODULE - AP204/SQ RRP £32.85

8.5L POTS



Includes:

- 1x easy2grow tray and lid,
- 2x 8.5 L pot,
- 1x AQUAvalve5,
- 1x 1 m of 9mm pipe,

EASY2GROW MODULE - AP204/SQ/15 RRP £34.05

15L POTS



Includes:

- 1x easy2grow tray and lid,
- 2x 15 L pot,
- 1x AQUAvalve5,
- 1x 1 m of 9mm pipe,

25L POT



1POTXL MODULE - AP300/XL

RRP £33.95

Includes:

- 1x XL tray and lid
- 1x 9mm top hat grommet
- 1x 25 L pot,
- 1x AQUAvalve5,
- 1x 1 m of 9mm pipe,
- 1x root control disc,
- 1x 9mm tee connector,
- 1x 16-9mm tee connector,
- 1x 16-9mm cross connector

20L POT



FLEXIPOT MODULE - APSMART/MODULE

RRP £33.95

Includes:

- 1x XL tray and lid
- 1x 9mm top hat grommet
- 1x 20 L fabric FlexiPot,
- 1x AQUAvalve5,
- 1x 1 m of 9mm pipe,
- 1x PotSock Round,
- 1x 9mm tee connector,
- 1x 16-9mm tee connector,
- 1x 16-9mm cross connector

35L POT



XXL35 MODULE - APXXL/35L/MODULE

RRP £39.95

Includes:

- 1x XXL tray, lid & blanking grommet
- 1x 9mm top hat grommet
- 1x 35 L fabric FlexiPot,
- 1x adaptive collar
- 1x AQUAvalve5,
- 1x 1 m of 9mm pipe,
- 1x root control PotSock,
- 1x 9mm tee connector,
- 1x 16-9mm tee connector,
- 1x 16-9mm cross connector

50L POT



XXL50 MODULE - APXXL/50L/MODULE

RRP £39.95

Includes:

- 1x XXL tray, lid & blanking grommet
- 1x 9mm top hat grommet
- 1x 50 L fabric FlexiPot,
- 1x AQUAvalve5,
- 1x 1 m of 9mm pipe,
- 1x root control PotSock,
- 1x 9mm tee connector,
- 1x 16-9mm tee connector,
- 1x 16-9mm cross connector

ALL OUR PACKAGED LINES NOW FEATURE QUICK SET-UP GUIDES AND QR LINKS TO ASSEMBLY VIDEOS - MAKING AUTOPOT EVEN EASIER TO GRASP



E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

@AUTOPOT_GLOBAL



MODULE PACKS

RRP = RECOMMENDED RETAIL PRICE

1POT MODULE ACC. PACK - AQUAVALVE 5 - AP200/AQ5/PACK

RRP £16.00



Includes:

- 1x AQUAvalve5, 1x 16-9mm tee,
- 1m of 9mm pipe, 1x 16-9mm cross,
- 1x marix disc, 1x 9mm top hat
- 1x root ctrl disc, grommet,
- 1x 9mm tee, 1x instructions

EASY2GROW KIT ACC. PACK - AQUAVALVE 5 - AP201/AQ5/PACK

RRP £22.50



Includes:

- 1x AQUAvalve5, 2x 9mm in-line tap,
- 2x PotSock Sq., 1x 9mm tee,
- 2x marix disc, 1x 9mm top hat
- 1.5m of 9mm pipe, grommet,
- 1x 9mm golf filter, 1x full instructions

FLEXIPOT MODULE ACC. PACK - AQUAVALVE 5 - APSMART/AQ5/PACK

RRP £20.00

EXCL. POT



Includes:

- 1x AQUAvalve5, 1x 16-9mm cross,
- 1m of 9mm pipe, 1x 9mm top hat
- 1x PotSock Round, grommet
- 1x 9mm tee, 1x instructions
- 1x 16-9mm tee,

XXL35 MODULE ACC. PACK - AQUAVALVE 5 - APXXL/35L/PACK

RRP £25.75


INCL. POT



Includes:

- 1x AQUAvalve5 1x 1m of 9mm Pipe
- 1x 35L FlexiPot 1x 16-9mm cross
- 1x 35L PotSock 1x 9mm tee
- 1x 9mm top hat 1x 9mm tee
- grommet 1x instructions
- 1x 6mm blanking grommet

SHOP BY FLOORSPACE



MULTIPLE POTS IN A SINGLE TRAY & LID ASSEMBLY, ALL FED BY A SINGLE AQUAVALVE

TRAY SYSTEMS FOR EVERY STAGE OF ADULT PLANT GROWTH



GROWING SPACE

Irrigate multiple pots in a single tray and lid assembly, all fed by a single AQUAvalve, radically reducing the footprint and system maintenance. Take advantage of all the space you have without the concern of accessing individual pots and trays. Ideal for tight spaces, rolling benches and vertical racking.

E: MAIL@AUTOPOT.CO.UK

OVERHEADS

Tray systems irrigate with zero run-off so don't require plumbing for waste water and fewer lights are needed with plants arranged less loosely. Fewer valves and fittings vastly reduces maintenance whilst the systems draw no more water than individual modules.

 AUTOPOT.CO.UK

PLANT HEALTH


All our Tray Systems incorporate moulded bases to minimise standing water whilst the lid blocks light and debris from entering tray. Use fabric pots with Auto XL FlexiPot for air-pruning, zero root-circling and bigger, faster growing plants from smaller pots. Use 8.5 L or 15 L pots with Auto8 for maximum flexibility.

 @AUTOPOT_GLOBAL



IRRIGATE & FEED NINE POTS IN A SINGLE SYSTEM

AVAILABLE WITH 25L PLASTIC OR 20L FABRIC POTS



Tray common to Auto9XL & Auto9XL FlexiPot



AUTO9XL/XL ➤

RRP £327.10



25 L pot

Auto9 XL Includes:

- 1x Auto9 XL tray & lid, 1x AQUAvalve5, 1x AQUAvalve cover,
- 1x Round blue access cover, 1x 9mm top hat grommet,
- 1m of 9mm pipe, 9x 25 L XL plastic pot, 9x root control disc

◀◀ AUTO9XL/SMART ➤

RRP £327.55



FlexiPot 20L


Auto9 XL FlexiPot Includes:

- 1x Auto9 XL tray & lid, 1x AQUAvalve5, 1x AQUAvalve cover,
- 1x Round blue access cover, 1x 9mm top hat grommet,
- 1m of 9mm pipe, 9x 20 L fabric FlexiPot, 9x PotSock Round



COMPACT SIZE - FOR EASY POSITIONING

IDEAL FOR HOBBY OR COMMERCIAL GROWING



AUTO3XL/XL ➤

RRP £153.60




25 L pot

Tray common to Auto3XL & Auto3XL FlexiPot

AUTO3XL/SMART ➤


RRP £153.45



FlexiPot 20L

Auto3 XL FlexiPot Includes:

- 1x Auto3 XL tray & lid, 1x AQUAvalve5, 1x AQUAvalve cover, 1x Round blue access cover,
- 1x 9mm top hat grommet, 1m of 9mm pipe, 3x 20 L fabric FlexiPot, 3x PotSock Round



AUTO8/8.5 RRP £170.70 ➤

Auto8 8.5 L Includes: 1x Auto8 tray & lid, 1x AQUAvalve5, 1x AQUAvalve cover,

1x Blue access cover, 1x 9mm top hat grommet, 1m of 9mm pipe, 8x 8.5 L plastic pots, 8x Marix disc, 8x PotSock Square



◀◀ AUTO8/15 ➤ RRP £178.00


Auto8 15 L Includes: 1x Auto8 tray & lid, 1x AQUAvalve5, 1x AQUAvalve cover, 1x Blue access cover, 1m of 9mm pipe, 1x 9mm top hat grommet, 8x 15 L plastic pots, 8x Marix disc, 8x PotSock Sq.



8.5 L pot



15 L pot



USE WITH 8.5 L OR 15 L POTS

FOR ALL STAGES - INTERCHANGE AT WILL

FIT TWO AUTO8'S IN A 1.2M X 1.2M TENT

Left: Auto8 Tray Dimensions

Common to Auto8 8.5L and 15L



AUTO5XL/SMART RRP £250.80 ➤

Auto5 Includes: 1x Auto5 Lid, 1x 1.2m sq Garden Tray,

5 x 35L fabric FlexiPot, 1x Round Blue Access Cover,


1x AQUAvalve5, 1x AQUAvalve Cover,

1x AQUAvalve PotSock,

1x Metal Plate for AQUAvalve PotSock,

1x 9mm Top Hat Grommet,

1m of 9mm Pipe, 1x Drill Template



FlexiPot 35L

MAXIMISE GROWING SPACE WITH AUTO5

35L FABRIC POTS - FOR TRULY HUGE PLANTS

FIT TWO AUTO5'S IN A 2.4M X 2.4M TENT

Left: Auto5 Tray Dimensions

FOR RESERVOIRS SEE PAGES 50-53

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



ONE TRAY, FIVE USES - AUTOMATIC WATERING AT ITS VERSATILE BEST

ACCOMMODATES GROW BAGS, SEED TRAYS, MICRO HERBS, POTS & PLANTERS

SUITABLE FOR ALL PLANT TYPES, AT ALL STAGES OF GROWTH



Winner - Best Growing And Planting Equipment
Garden Industry Manufacturers Association Awards



Endorsed by



Tray2Grow with grow bags



Tray2Grow with microherbs



Tray2Grow with seed trays



Tray2Grow with pots



Tray2Grow with planters

AWARD WINNING VERSATILITY

The GIMA award-winning Tray2Grow is the world's first multi-functional watering system, offering no less than five ways to water and feed your plants. Seed trays, micro herbs, pots, a grow bag, or a fabric planter, Tray2Grow automatically irrigates them all to perfection.

INNOVATIVE IRRIGATION

Equipped for every eventuality, Tray2Grow includes optional capillary spikes that can be fitted to the inside of the tray. These pierce the underside of a grow bag, allowing you to irrigate the substrate within. Guide holes in the tray are provided for bamboo canes, allowing you to easily trellis your plants.

ALLOTMENT SCALE

With the spikes removed and capillary matting in place Tray2Grow can take up to four standard sized seed trays, two micro herb trays, two coco slabs, any number of bottom-perforated or bio pots, or our capacious 107.5 L / 23.5 gallon framed fabric planter.

PART OF OUR NEW GARDEN CENTRE RANGE

WITH FULLY ILLUSTRATED RETAIL PACKAGING

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 [@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



USE WITH CAPILLARY SPIKES TO IRRIGATE & FEED GROW BAGS

USE WITH CAPILLARY MATTING TO IRRIGATE & FEED POTS & TRAYS

TRAY2GROW PLANTER ALLOWS YOU TO GROW ROOT VEG ANYWHERE



Above: Tray2Grow Complete includes capillary matting for use with pots, trays, and planters, plus capillary spikes for use with grow bags.

◀ TRAY2GROW COMPLETE - AP/T2G

RRP £69.95

Includes:

- 1x Tray2Grow Tray & Lid
- 1x 6mm Overflow Grommet
- 3x Circular Spirit Level
- 2x 9mm Grommet
- 1m of 9mm Pipe
- 16-9mm Click-Fit Filter
- 1x Capillary Matting
- 1x Root Control Sheet
- 1x 9mm Golf Filter
- 4x Seed Trays
- 1x 9mm Tee Connector
- 1x Slug Repellent Copper Tape
- 1x 9mm Inline tap



Endorsed by



TRAY2GROW - TRAY & LID

T2G/T-L ▾

RRP £25.00



Includes:

- 1x Tray2Grow Tray & Lid
- 1x 6mm Overflow Grommet
- 1x 9mm Grommet
- 3x Circular Spirit Level

TRAY2GROW PLANTER

T2G/PLANTER ▾

RRP £39.95



Capacity: 107.5 L

Dimensions: 93 cm W x 33 cm L x 35 cm H

TRAY2GROW ACCESSORIES & SPARES



◀ TRAY2GROW SPIKE & CAPILLARY

T2G/SPIKE/SET

RRP £1.20



◀ TRAY2GROW MICROHERB TRAY

T2G/MHTRAY

RRP £4.99

◀ TRAY2GROW ROOT CTRL SHEET

T2G/RCD/SHEET

RRP £7.95



◀ TRAY2GROW SEED TRAY LID

T2G/SEED/TRAY/LID

RRP £3.00



◀ TRAY2GROW SEED TRAY

T2G/SEEDTRAY

RRP £0.90

◀ TRAY2GROW CAPILLARY MAT

T2G/CAPILLARY/MAT

RRP £12.40

FOR IN-EARTH IRRIGATION SEE PAGE 45

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



MULTIPLY THE PLANT OUTPUT OF EVERY MODULE WITH POTDIVIDER

USE IN THE PRE-VEG STAGE TO SUB-DIVIDE 8.5 L & 15 L POTS

EASY-TO-USE DESIGN ALLOWS PLANTS TO BE LIFTED OUT CLEANLY

POT DIVIDER - AP/POTDIVIDER

RRP £8.00



PotDivider 8.5 fits 8.5L pots as used in easy2grow and Auto8 systems



PotDivider 8.5 in easy2grow (top) and Auto8 (bottom) (modules not incl.)

POT DIVIDER - AP15L/DIVIDER

RRP £11.50

NOW AVAILABLE

15L POTDIVIDER



PotDivider 15 in a 1Pot module (module not incl.)

PotDivider 15 fits 15L pots as used in 1Pot, easy2grow, and Auto8 systems



PERFECT FOR GROWING STRAWBERRIES

DESIGNED TO FIT 8.5 L POTS - AS USED IN EASY2GROW

FOLIAGE GROWS UP, FRUITS HANG DOWN - EASY TO HARVEST

STRAWBERRY POT TOPPER

AP/POTTOPPER/8.5

RRP £3.00



*Production items in black only

For easy2grow modules see page 36 (module not incl. with Strawberry Topper)



Strawberry toppers sit directly on the rim of 8.5L pots



Fill pots with media and lay strawberry plants side-on



Top strawberry plants off with a little extra media

FOLLOW US FOR UPCOMING RELEASES

RRP = RECOMMENDED RETAIL PRICE

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK


@AUTOPOT_GLOBAL



OPTIMISES ROOT ZONE DRAINAGE IN AUTOPOT WATERING SYSTEMS

REMOTES THE NEED FOR A PEBBLE LAYER IN THE BASE OF YOUR POT

DESIGNED FOR EASY, OPTIONAL INTEGRATION WITH AIRDOME



AIRBASE SQUARE - AIRBASE/SQUARE

RRP £7.49



Left: Use AirBase Square with easy2grow and 1Pot modules (1Pot pictured). AirDome optional.



AIRBASE ROUND - AIRBASE/ROUND

RRP £7.99



Left: Use AirBase Round with 1Pot XL and FlexiPot modules (1Pot XL pictured) AirDome optional.




1 Prepare pots with root ctrl



2A Use AirBase on its own



2B Use AirBase with AirDome



3A Fill holes with media



4 Pot up as usual



GROW FREE FROM SUBSTRATE WITH AUTOPOT

GIVE PLANTS DIRECT ROOT ACCESS TO NUTRIENT RICH WATER

ENCOURAGE FASTER, STRONGER ROOT DEVELOPMENT



AQUAPLATE SQUARE - AQUAPLATE/KIT/SQ

RRP £10.20

Includes: 1x AQUAplate Square, 5x Mesh Pots, 5x Neoprene Collars, 5x Foam Pads, 1x PotSock Square



AQUAplate Square fits easy2grow & 1Pot trays



MESH POT FOR AQUAPLATE

AQUAPLATE/TEKUMGB

RRP £0.10



BLUE FOAM DISC FOR AQUAPLATE

AQUAPLATE/FT-T60PPI

RRP £0.30



AQUAPLATE CIRCLE - AQUAPLATE/KIT/CIR

RRP £12.50

Includes: 1x AQUAplate Circle, 5x Mesh Pots, 5x Neoprene Collars, 5x Foam Pads, 1x PotSock Round



AQUAplate Circle fits 1Pot XL trays



NEOPRENE COLLAR FOR AQUAPLATE

AQUAPLATE/FOAM50MM

RRP £0.50

FOR AIRDOME & AIRPUMPS SEE PAGE 46

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



EASY2GO - AP400 RRP £22.50

1x AQUAvalve5, 1x AQUAvalve Cover, 1x Circular Spirit Level, 1x 9mm Golf Filter, 1x 9mm In-Line Tap, 1x 16-9mm In-Line Filter, 1x 9mm Tee Connector, 1x 9mm Top Hat Grommet, 1x 1.5m 9mm Pipe



Endorsed by
 **RHS**

COCOMAT
COCOMAT



- 1. PLACE COCOMAT AND ROOT CONTROL INTO A TRAY**
- 2. FILL TRAY WITH WATER**
- 3. PLACE SEED TRAY ON TOP AND GROW!**



Fits all standard-sized propagation trays

COCOMAT BUNDLE- CCOCOPACK/1

RRP £10.00

Includes: 1x Root Control Sheet,
 1x CocoMat 510mm x 300mm x 30mm



COCOMAT - COCOMATTING/58X51X3

RRP £12.50

Includes:
 1x CocoMat 580mm x 510mm x 30mm

Please note, CocoMats are not part of the AutoPot RHS endorsed range

SEE PAGES 12-13 FOR PROPAGATION TIPS

RRP = RECOMMENDED RETAIL PRICE

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 @AUTOPOT_GLOBAL



IDEAL FOR RAISED BEDS, LARGE PLANTERS, AND GROW BAGS

PLANTS ARE WATERED FOR DAYS OR WEEKS AT A TIME

CAPILLARY MATTING DISTRIBUTES WATER & FEED UNDER THE SOIL


AQUABOX STRAIGHT - PLANTERS & NARROW BEDS

AQUABOX STRAIGHT - AQUABOX/1 RRP £27.95

Incl: 1x AQUABox Straight & Spirit Level, 1x AQUAvalve5, 2x 9mm Top Hat Grommet, 1.2m of Capillary Matting, 2m of 9mm Pipe, 1x 16mm-9mm Click-Fit Adapter & Filter, 1x 9mm Golf Filter, 1x 9mm Tee Connector, 1x 9mm Inline Tap



Endorsed by




AQUABOX SPYDER - WIDE RAISED BEDS & ALLOTMENTS

AQUABOX SPYDER - AQUABOX/2 RRP £31.10

Incl: 1x AQUABox Spyder & Spirit Level, 1x AQUAvalve5, 2x 9mm Top Hat Grommet, 2m of 9mm Pipe, 6m of Capillary Matting, 1x 16mm-9mm Click-Fit Adapter & Filter, 1x 9mm Golf Filter, 1x 9mm Tee Connector, 1x 9mm Inline Tap



Endorsed by



AQUABOX ACCESSORIES



AQUABOX STRAIGHT REPLACEMENT MATTING 1200MM x 45MM

ABQ/STRAIGHT

RRP £4.30



AQUABOX SPYDER REPLACEMENT MATTING 6000MM x 15MM

ABQ/SPYDER

RRP £5.90

Please note, AQUABox Accessories are not part of the AutoPot RHS endorsed range

FOR RESERVOIRS SEE PAGES 50-53

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



BOOST GROWTH & YIELDS BY INCREASING OXYGEN CONTENT IN THE POT

GET A HEALTHIER ROOT ZONE & GREATER NUTRIENT UPTAKE

TAKES LESS THAN 30 SECONDS TO ASSEMBLE

AIRDOME COMPLETE - AIRDOME/1

RRP £5.60



Includes: 1x AirDome body, 6mm straight connector, 1x 6mm cross connector, 4x pieces of blue bubble pipe, 1m length of 6mm pipe, 1x full instructions

AIRDOME BODY ONLY

AD/A

RRP £2.00



6MM PIPE (1M LENGTH)

PF100/1

RRP £0.80



6MM PIPE (50M LENGTH)

PF100/6/1

RRP £35.00



BUBBLE PIPE FOR AIRDOME (52MM LENGTH)

AD/PIPE

RRP £0.30



USING AIRDOME WITH AUTOPOT & AIR PUMPS

If using AirDomes with large systems, consider using larger pumps such as Power Pumps 4, 6, and 10 - marked ● these pumps allow you to connect 16mm pipe (standard hosepipe). Mirror your water supply and reduce the pipe to 6mm at each AirDome connection, using AutoPot fittings. Never blow cold air into the root zone, only warm air (18-21° C is ideal).

AIR PUMP SINGLE OUTLET - LD2-AIRPUMP

RRP £7.50

FLOW: 1.6 LITRES PER MINUTE
VOLTAGE: 230V 50HZ
POWER CONSUMPTION: 2W
PRESSURE: 0.15 BAR
DIMENSIONS: 110 L X 68 W X 63 H (MM)
CAPABLE OF SUPPLYING: 2 X AIRDOMES



AIR PUMP TWIN OUTLET - LD4-AIRPUMP

RRP £13.50

FLOW: 2X 2.0 LITRES PER MINUTE
VOLTAGE: 230V 50HZ
POWER CONSUMPTION: 4W
PRESSURE: 0.20 BAR
DIMENSIONS: 156 L X 95 W X 75 H (MM)
CAPABLE OF SUPPLYING: 4 X AIRDOMES



AIR PUMP QUAD OUTLET - LD10-AIRPUMP

RRP £18.50

FLOW: 4X 2.25 LITRES PER MINUTE
VOLTAGE: 230V 50HZ
POWER CONSUMPTION: 8W
PRESSURE: 0.20 BAR
DIMENSIONS: 188 L X 120 W X 100 H (MM)
CAPABLE OF SUPPLYING: 8 X AIRDOMES



POWER AIR PUMP 6 OUTLET - V30-6OUTLET

RRP £65.00

FLOW: 6X 5 LITRES PER MINUTE
VOLTAGE: 230V 50HZ
POWER CONSUMPTION: 25W
PRESSURE: 0.20 BAR
DIMENSIONS: 245 L X 202 W X 205 H (MM)
CAPABLE OF SUPPLYING: 30 X AIRDOMES



● OPTIONAL 16MM CONNECTION

POWER AIR PUMP 4 OUTLET - V20-4OUTLET

RRP £50.00

FLOW: 4X 5 LITRES PER MINUTE
VOLTAGE: 230V 50HZ
POWER CONSUMPTION: 15W
PRESSURE: 0.20 BAR
DIMENSIONS: 230 L X 185 W X 180 H (MM)
CAPABLE OF SUPPLYING: 20 X AIRDOMES



● OPTIONAL 16MM CONNECTION

POWER AIR PUMP 10 OUTLET - V60-10OUTLET

RRP £85.00

FLOW: 60 LITRES PER MINUTE
VOLTAGE: 230V 50HZ - OPTION 110V
POWER CONSUMPTION: 35W
PRESSURE: 0.35 BAR
DIMENSIONS: 270 L X 242 W X 210 H (MM)
CAPABLE OF SUPPLYING: 60 X AIRDOMES



● OPTIONAL 16MM CONNECTION

SEE PAGE 6 FOR AIRDOME SETUP GUIDE

RRP = RECOMMENDED RETAIL PRICE

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 @AUTOPOT_GLOBAL



THE MOST PRODUCTIVE, EFFICIENT, EASY-TO-USE CO₂ INPUT ON THE MARKET

PROVIDES AN ENORMOUS BOOST TO CARBON DIOXIDE-HUNGRY PLANTS

INCREASES CO₂ LEVELS FROM 400PPM TO 800PPM - LASTS FOR UP TO 6 MONTHS[†]

AVAILABLE NOW! CO₂ REFILLS



- REGENERATE YOUR CO₂ SUPPLY
- 33% CHEAPER THAN A NEW UNIT
- 5L & 10L DRY MIX PACKS OUT NOW!

CO₂ GENERATOR 5L PS - CB - 001

RRP £70.00 JUST £0.39 PER DAY!

For areas up to 1.2m x 1.2m. Incl. single outlet pump & 13A plug. *Based on 6 month lifespan

USER-FRIENDLY DRY MIX

- 100% ODOUR-FREE STORAGE
- 5,000 YEAR SHELF LIFE
- SIMPLY ACTIVATED WITH HOT WATER
- USED MIX SAFELY & PRODUCTIVELY
- DISPOSED OF AS FERTILISER

SYNCH WITH YOUR LIGHTING

- PLUG YOUR PUMP INTO YOUR LIGHTING TIMER / RELAY & PULSE HOURLY
- OPERATE DURING 'LIGHTS ON' ONLY

FOR MAXIMUM EFFECT

- PLACE YOUR CO₂ GENERATOR LOW
- ENSURE IT IS BENEATH YOUR PLANTS
- AS CO₂ WARMS IT RISES INTO CANOPY

WHAT YOUR PLANTS WANT

- CO₂ STIMULATES VIGOROUS GROWTH
- PROVEN TO INCREASE PRODUCTIVITY
- SPECIALLY FORMULATED MANURE
- ACTIVATED BY NATURAL BACTERIA

[†] used as directed



CO₂ GENERATOR 10L

PS - CB - 002

RRP £110.00

JUST £0.61 PER DAY!



10L CO₂ GEN. REFILL

PS - CB - 006

RRP £75.00

JUST £0.42 PER DAY!



5L CO₂ GEN. REFILL

PS - CB - 005

RRP £50.00

JUST £0.28 PER DAY!

For areas up to 2.4m x 2.4m.

Incl. single outlet pump & 13A plug. *Based on 6 month lifespan

For 10L Generators - areas up to 2.4m x 2.4m.

*Based on 6 month lifespan - cost based on refill only

For 5L Generators - areas up to 1.2m x 1.2m.

*Based on 6 month lifespan - cost based on refill only

Seeing is believing!

Use our Handheld CO₂ Detector to check your levels or show your customers CO₂ Generator in action!



CO₂ DETECTOR

ABH - 102

RRP £59.95

As CO₂ levels of over 1100ppm have no extra effect on plant growth, you only stand to waste your inputs by blindly ramping up concentrations. Armed with readouts from our CO₂ Detector you can adjust your inputs to the 1100ppm 'sweet spot' adhered to by experienced growers.

REGENERATE YOUR SUPPLY WITH CO₂ REFILLS

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



ALL EASY2PROPAGATE KITS AND LIDS FULLY BOXED

ULTRA-STRONG LID EASY TO SHIP SINGLE UNITS

AVAILABLE IN FOUR DIFFERENT KIT CONFIGURATIONS

EASY2PROPAGATE COMPLETE KIT - AP410/PROPKIT

RRP £165.00



1x Clear easy2Propagate Lid with 4 x Fitted Vents, 1x 25 L FlexiTank, 1x 16mm-9mm Click-Fit Tank Adaptor & Filter, 1x AQUAvalve5, 1x AQUAvalve Cover, 1.5m of 9mm pipe, 1x 9mm Elbow Bar
1x Garden Tray, 2x Coco Matting 580mm x 510mm x 30mm, 1x Root Control Sheet 1160mm x 510mm

EASY2PROPAGATE EXTENSION KIT - AP410/PROPKIT/EXT

RRP £129.35



1x Clear easy2Propagate Lid with 4 x Fitted Vents, 1x AQUAvalve5, 1x AQUAvalve Cover, 1x 16mm-9mm Tee Connector, 1x 9mm Tee Connector, 1x 9mm Elbow Bar, 1m of 9mm pipe, 1x Garden Tray, 2x Coco Matting 580mm x 510mm x 30mm, 1x Root Control Sheet 1160mm x 510mm

EASY2PROPAGATE BASIC KIT - AP410/PROPKIT/UNIT

RRP £102.90



1x Clear easy2Propagate Lid with 4 x Fitted Vents, 1x Garden Tray, 2x Coco Matting 580mm x 510mm x 30mm, 1x Root Control Sheet 1160mm x 510mm

EASY2PROPAGATE LID ONLY- AP410/PROPKIT/LID

RRP £46.20



1x Clear easy2Propagate Lid with 4 x Fitted Vents
(Fits Garden Tray - not included in Lid Only option)

EASY2PROPAGATE DIMENSIONS



SEE PAGES 12-13 FOR PROPAGATION TIPS

RRP = RECOMMENDED RETAIL PRICE

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK


@AUTOPOT_GLOBAL



GARDEN TRAYS


SQUARE GARDEN TRAY - G45B

RRP £13.50




80CM SQUARE GARDEN TRAY - G172B

RRP £23.95




GIANT PLUS GARDEN TRAY - G82B

RRP £26.65




TITAN GARDEN TRAY - G95B

RRP £28.25




METRE SQUARE GARDEN TRAY - G112B

RRP £29.75




1.2 METRE SQUARE GARDEN TRAY - G127B

RRP £39.95




SMALL HIGH DOME PROPAGATOR - G20

RRP £7.10




LARGE HIGH DOME PROPAGATOR - G19

RRP £10.85



XL HIGH DOME PROPAGATOR - G155

RRP £19.90



SEE PAGES 12-13 FOR PROPAGATION TIPS

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



THE BEST SELLING FLEXIBLE RESERVOIR IN THE WORLD

A REVOLUTIONARY APPROACH TO WATER STORAGE

A FLEXITANK FOR VIRTUALLY ANY GROWING SPACE - BIG OR SMALL



SIMPLICITY ITSELF

FlexiTank revolutionises water storage, it is everything you need in one compact box. These lightweight and durable reservoirs require no tools for assembly, reduce storage and shipping costs and take just minutes to assemble.

BUILT TO LAST

FlexiTanks incorporate a level of design and build quality that far outstrips that of our competitors. Thicker skins, higher grade seals and stronger fittings make FlexiTank the only collapsible reservoirs recommended for use with AutoPot Watering Systems.

FOR ANY SPACE

Available in seven sizes, from 25 L to 1000 L, FlexiTanks allow growers to set up in hitherto unexplored spaces. The 25 and 50 L FlexiTanks mean you can fit a reservoir virtually anywhere. These additions to the FlexiTank range mean that almost no space is too small for a system.

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK

 [@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



FULLY COLLAPSIBLE WITH TOOL-FREE ASSEMBLY

LIGHTWEIGHT & DURABLE WITH 1 YEAR MANUFACTURERS WARRANTY

INSTALL ANYWHERE, EASY TO SHIP AND STORE

25L FLEXITANK - APFLEXITANK/25

RRP £29.20



50L FLEXITANK - APFLEXITANK/50

RRP £35.90



PRO CLICK-FIT TANK ADAPTOR

& FILTER - AP217/PRO

RRP £17.10



16MM PRO FILTER

PROFILTER/1

RRP £13.60



100L FLEXITANK - APFLEXITANK/100

RRP £50.50



225L FLEXITANK - APFLEXITANK/225

RRP £65.75



16MM CLICK-FIT ADAPTOR & FILTER

AP217/16

RRP £13.40



16-9MM CLICK-FIT TANK

ADAPTOR & FILTER - AP217/9

RRP £8.40



400L FLEXITANK - APFLEXITANK/400

RRP £116.50



750L FLEXITANK - APFLEXITANK/750

RRP £180.00



HOSE CONNECTOR 16MM

HOSE CONNECTOR 1/2"

RRP £3.50



FLEXITANK FITTING CAP

APFLEXI/CAP

RRP £3.00



1000L FLEXITANK - APFLEXITANK/1000

RRP £295.00



FLEXITANK TAP

FLEXITAP/1

RRP £6.00



FLEXITANK FITTING CLICK-FIT

APFLEXI/CLICK

RRP £3.00



SEE PAGE 14 FOR RESERVOIR & WATER TIPS

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



A NEW RANGE OF FLEXITANKS FOR RECIRCULATING SYSTEMS

PORTS FOR OUTBOUND PIPE, INBOUND PIPE, & PUMP POWER SUPPLY

25MM PIPE PORTS - EASILY ADAPTABLE TO 16MM DIAMETER*



*Please note: no pipe, fittings, or adapters are included in this listing

100L TAPLESS FLEXITANK - NTFLEXITANK100

RRP £50.50



250L TAPLESS FLEXITANK - NTFLEXITANK250

RRP £74.80



400L TAPLESS FLEXITANK - NTFLEXITANK400

RRP £116.50



750L TAPLESS FLEXITANK - NTFLEXITANK750

RRP £180.00



SEE PAGE 14 FOR RESERVOIR & WATER TIPS

RRP = RECOMMENDED RETAIL PRICE

E: MAIL@AUTOPOT.CO.UK

 AUTOPOT.CO.UK


 [@AUTOPOT_GLOBAL](https://www.instagram.com/@AUTOPOT_GLOBAL)



ONE YEAR'S MANUFACTURERS WARRANTY

COMPLETE WITH ATTRACTIVE RETAIL PACKAGING

AVAILABLE AS AN UPGRADE ON ALL AUTOPOT WATERING SYSTEMS



100 L FLEXITANK PRO - PROFLEXITANK/100

RRP £89.40



225 L FLEXITANK PRO - PROFLEXITANK/225

RRP £135.00



400 L FLEXITANK PRO - PROFLEXITANK/400

RRP £182.50



SEE PAGE 14 FOR RESERVOIR & WATER TIPS

RRP = RECOMMENDED RETAIL PRICE



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



PROPAGATION LIDS

RRP = RECOMMENDED RETAIL PRICE



8.5 / 15 L PROPAGATION LID - AP/PROPLID/SQ

RRP £7.00



Listing incl. lid only

For 8.5 / 15 L pots (IPot / easy2grow) see page 55

8.5L / 15L Lid Dimensions: 265mm W x 260mm H



25 L PROPAGATION LID - AP/PROPLID/XL

RRP £9.20



Listing incl. lid only

For 25 L pots (IPot XL) see page 55

25L Propagation Lid Dimensions: 320mm W x 350mm H



FABRIC POTS

AN EXPANDED RANGE OF FABRIC POTS FOR PLANTS OF ALL SIZES

INCLUDING 20 L POTS TO FIT OUR XL SYSTEM MODULES

35L, 50L & 139L POTS - FOR BIG, HEALTHY, FAST GROWING STOCK PLANTS

SAFE & SUSTAINABLE

- BPA-FREE, LEAD-FREE MATERIAL
- MACHINE-WASHABLE
- EXTENSIVELY REUSABLE
- TOUGH, SUPPORTIVE CONSTRUCTION
- CARRY HANDLES FOR EASE OF USE

GROWTH STIMULATING

- OXYGENATED ROOT ZONE PRODUCES SUPERCHARGED GROWTH
- YOU GET BIGGER PLANTS, FROM SMALLER POTS, MORE QUICKLY

ROOT TRAINING


- POROUS POTS FACILITATE AIR-PRUNING
- PRUNED ROOT TIPS DIVIDE
- SECONDARY FEEDER ROOTS DEVELOP
- UPTAKE RATES INCREASE
- ROOT CHASING IS ELIMINATED

20 L FLEXIPOT - APSMART/POT/5 RRP £4.90



Suitable for:
Auto3 & Auto9 - page 39
Garden trays - page 49
XL module trays - page 55

50 L FLEXIPOT - APSMART/POT/13 RRP £8.30




Suitable for:
Garden trays - page 49
XXL module trays - page 55

35 L FLEXIPOT - APSMART/POT/9 RRP £6.30



Suitable for:
Garden trays - page 49
XXL module trays - page 55

139 L FLEXIPOT - APSMART/POT/37 RRP £11.90



Suitable for:
Garden trays - page 49



POTS & TRAYS

RRP = RECOMMENDED RETAIL PRICE

XXL MODULE TRAY & LID - APXXL/T-L

RRP £14.00 INCL. 9MM TOP HAT GROMMET



1POT XL TRAY AND LID - AP300/XL/T-L

RRP £12.20 INCL. 9MM TOP HAT GROMMET



1POT TRAY AND LID - AP205/SQ/T-L/BLACK

RRP £10.20 INCL. 9MM TOP HAT GROMMET



EASY2GROW TRAY & LID - AP206/SQ/T-L/BLACK

RRP £12.00



25 L POT BLACK - AP300/XL/POT

RRP £8.50



25 L WHITEPOT - AP300/XL/POT/WHITE

RRP £10.50



15 L POT BLACK - AP210/SQ/BLACK

RRP £5.45



15 L WHITEPOT - AP210/SQ/WHITE

RRP £7.45



8.5 L POT BLACK - AP209/SQ/BLACK

RRP £3.55



8.5 L WHITEPOT - AP209/SQ/WHITE

RRP £5.55



LID FOR XXL MODULE TRAY - APXXL/LID

RRP £2.00



RING FOR XXL MODULE TRAY - APXXL/RING

RRP £3.95



LID FOR XL MODULE TRAY - AP300/XL/LID

RRP £2.00



LID FOR 1POT MODULE TRAY - AP205/SQ/LID

RRP £2.00



LID FOR EASY2GROW TRAY - AP211/SQ/LID

RRP £2.00



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



9MM ACCESSORIES

FOR AUTOPOT WATERING SYSTEMS THAT USE AQUAVALVE5 & 9MM PIPE

RRP = RECOMMENDED RETAIL PRICE



9MM STRAIGHT CONNECTOR - PF900/9/1

RRP £0.50



9MM TEE CONNECTOR - PF901/9

RRP £0.60



16-9MM TEE CONNECTOR - PF949/T

RRP £2.00



9MM END STOP - PF940/9

RRP £0.40



9MM ELBOW CONNECTOR - PF903/9

RRP £0.50



9MM CROSS CONNECTOR - PF944/9

RRP £0.85



16-9MM CROSS CONNECTOR - PF949/X

RRP £2.50



9MM TOP HAT GROMMET - PF906/9

RRP £1.20



CO-EXTRUDED
METRE MARKED

9MM PIPE (1.5M LENGTH) - PF100/9/1.5

RRP £2.00



CO-EXTRUDED
METRE MARKED

9MM PIPE (30M LENGTH) - PF100/9/CX

RRP £35.00



9MM GOLF FILTER - PF905/GOLF/9

RRP £2.80



16MM-9MM IN-LINE FILTER - PF946/16MM-9MM

RRP £4.90



9MM IN-LINE TAP - PF902/9/1

RRP £2.70



AQUAVALVE5 - AQ100/5

RRP £14.90



AQUAVALVE5 BOTTOM FLOAT SILICONE - AQ102/5

RRP £0.30



AQUAVALVE5 TOP FLOAT SILICONE - AQ102/1

RRP £0.30



AQUAVALVE5 MAIN BODY - AQ106/5

RRP £5.00



AQUAVALVE5 BOTTOM FLOAT - AQ108/5

RRP £3.00



AQUAVALVE5 TOP FLOAT - AQ107/5

RRP £3.00



AQUAVALVE5 COLLAR - AQ104/5

RRP £0.50

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

@AUTOPOT_GLOBAL



16MM ACCESSORIES

SUITABLE FOR ANY AUTOPOT WATERING SYSTEM THAT USES 16MM PIPEWORK

RRP = RECOMMENDED RETAIL PRICE



16MM STRAIGHT CONNECTOR - PF912/16

RRP £1.30



16MM TEE CONNECTOR - PF914/16

RRP £1.30



16MM ELBOW CONNECTOR - PF913/16

RRP £1.20



16MM END STOP - PF915/16

RRP £1.25



CO-EXTRUDED
METRE MARKED

16MM PIPE (5M LENGTH) - 16MMPipe/5/CX

RRP £10.50



16MM INLINE TAP - PF916/16

RRP £4.99



16MM CROSS CONNECTOR - PF916/X/1

RRP £3.00



16MM GROMMET (19MM HOLE RQD) PF919/16

RRP £1.20



CO-EXTRUDED
METRE MARKED

16MM PIPE (30M LENGTH) - 16MMPipe/30/CX

RRP £60.00



16MM INLINE FILTER - PF918/16

RRP £9.90



16MM CLICK-FIT FILTER - AP217/16

RRP £13.40



16MM CLICK-FIT PROFILTER - AP217/PRO

RRP £17.10



16MM PROFILTER - PROFILTER1

RRP £13.60



HOSE CONNECTOR - HOSE CONNECTOR 1/2"

RRP £3.50



TAP FOR ALL WATER BUTTS - AP224

RRP £7.99



FLEXITANK FITTING CAP - APFLEXI/CAP

RRP £3.00



FLEXITANK FITTING CLICK-FIT - APFLEXI/CLICK

RRP £3.00



FLEXITANK TAP - FLEXITAP/1

RRP £6.00



19MM GROMMET (23MM HOLE RQD) PF919/19

RRP £1.25

AutoPot Video Tutorials



Guidance, hacks, inspiration. Scan the QR for a host of assembly and set up tips in our Tutorial Videos, or visit: autopot.co.uk/3d-videos-and-animations/



6MM ACCESSORIES

INC. 16-6MM FITTINGS & FILTERS - FOR OLDER AUTOPOT WATERING SYSTEMS

RRP = RECOMMENDED RETAIL PRICE



6MM STRAIGHT CONNECTOR - PF900/6/1

RRP £0.50



6MM TEE CONNECTOR - PF901/4

RRP £0.60



16-6MM TEE CONNECTOR - PF945/T

RRP £2.00



6MM END STOP - PF940/6

RRP £0.40



6MM CROSS CONNECTOR - PF944/6

RRP £0.85



16-6MM CROSS CONNECTOR - PF945/X

RRP £2.50



6MM GROMMET - PF906/4

RRP £1.20



6MM GROMMET FOR GROMMETED TRAYS - PF906/T

RRP £1.20



6MM BLANKING GROMMET - PF906/P

RRP £1.20



UNMARKED
NON CO-EXTRUDED

6MM PIPE (1.5M LENGTH) - PF100/1.5

RRP £1.20



6MM HOSEPIPE 50M ROLL - PF100/6/1

RRP £35.00



6MM GOLF FILTER COMPLETE - PF905/GOLF/1

RRP £2.80



GOLF FILTER MATERIAL - PF905/GOLF/MATERIAL

RRP £0.30



6MM INLINE TAP - PF902/6/1

RRP £2.70



AQUAVALVE - AQ100

RRP £14.90



AQUAVALVE SILICONE - AQ102/1

RRP £0.30



AQUAVALVE MAIN BODY - AQ106/1

RRP £5.00



AQUAVALVE BOTTOM FLOAT - AQ108/1

RRP £3.00



AQUAVALVE TOP FLOAT - AQ107/1

RRP £3.00



AQUAVALVE COLLAR - AQ104/1

RRP £0.50

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

@AUTOPOT_GLOBAL



SYSTEMS SPARES

RRP = RECOMMENDED RETAIL PRICE



TRAY2GROW ROOT CTRL - T2G/RCD/SHEET

RRP £7.95



CAPILLARY MAT - T2G/CAPILLARY/MAT

RRP £12.40



ROOT CTRL SHEET - APRCD/SHEET/51X30

RRP £3.00



250MM Ø ROOT CTRL DISC - AP250/IWS

RRP £1.50



170MM Ø ROOT CTRL DISC - AP170/IWS

RRP £1.25



ROOT CTRL DISC ROUND - AP300/XL/RCD

RRP £1.60



ROOT CTRL DISC SQ - AP229/SQ/1

RRP £1.10



MARIX DISC SQUARE - AP225/SQ/1

RRP £0.55



POTSOCK FOR 50L POT - APRCD/SOCK/50LFP

RRP £7.50



POTSOCK FOR 35L POT - APRCD/SOCK/35LFP

RRP £7.50



POTSOCK ROUND - APRCD/SOCK/XL

RRP £5.50



POTSOCK SQUARE - APRCD/SOCK/SQ

RRP £3.50



AQUAVALVE POTSOCK KIT - APRCD/SOCK/PLATEKIT

RRP £7.50



BLUE ACCESS COVER - AUTO9XL/COVER

RRP £2.50



AUTO3/9XL BLANKING CAP - AUTOXL/CAP

RRP £7.50



SPRIT LEVEL - CIRCULAR LEVEL

RRP £1.15



AQUAVALVE COVER - AQ101/N

RRP £6.25



AQUAVALVE TOP FLOAT DISC - AQ105

RRP £0.50



47L RESERVOIR STAND - G0007

RRP £16.15



47L RES. HEAT SHIELD - AP219/COVER

RRP £17.00



47L/30L RES. LID - AP219/LID/BLACK

RRP £6.00



47L RESERVOIR - AP219/T-L/BLACK

RRP £13.90



47 L RESERVOIR - AP219/T-L/BLACK

RRP £19.90



30 L RESERVOIR - AP218/TANK/BLACK

RRP £10.50



30 L RESERVOIR - AP218/T-L/BLACK

RRP £16.50




@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS



A CLEAN, EFFICIENT, HIGH-PURITY NUTRIENT REGIME

COMPREHENSIVE SIX-PRODUCT RANGE REFINED THROUGH YEARS OF TESTING & USE

OPTIMISED FOR USE WITH AUTOPOT WATERING SYSTEMS



PURE PLANT NUTRITION

Go to the Source, for plant nutrition in its purest form. It's a simple concept. Clean, highly concentrated fertilisers for effective, efficient performance. The biostimulants that comprise the Source range rigorously adhere to your plants needs, bringing you improved plant health, increased yield, and greater returns.

E: MAIL@AUTOPOT.CO.UK

READY FOR ANYTHING


Extensively proven by the UK's leading horticultural universities, the Source's pure synergy with plant requirements has produced outstanding results with all growing media and all cultivation systems. Paired with AutoPot Watering Systems the Source's efficiency is elevated from exceptional to unparalleled.

 AUTOPOT.CO.UK

BEHIND THE MAGIC

Every decent result is entirely dependent on pure, efficient inputs. All Source fertilisers and biostimulants are composed of 100% natural, plant-extracted ingredients, with no artificial PGR's. For ease of use the range has been developed for hard or soft water suitability and performs in soil, coco, or hydro grow media.

 @AUTOPOT_GLOBAL



SUITABLE FOR USE WITH ALL CULTIVATION METHODS, PLANT TYPES & SUBSTRATES

HIGHLY RECOMMENDED FOR ALL AUTOPOT WATERING SYSTEMS

DESIGNED TO BE USED AS A COMPLETE SUITE OF NUTRIENTS & BIOSTIMULANTS



Gro A/B Growth Stimulator

Get relentless, rapid, uniform growth with Gro.

This beautifully balanced veg stage fertiliser ensures your plants develop fully, remain healthy, and are well suited to heavy harvests.

Always sufficient but never excessive, Gro's ingredients provide a fantastically responsive nutritional regime for all plant types.

SKU	SF/GS/01	SF/GS/02	SF/GS/03
RRP	250ML £9.95	1L £19.95	5L £59.95



Flo A/B Growth Stimulator

Comprehensive and readily available for uptake,

Flo's chelated elements and plant extracted ingredients are calibrated to function harmoniously and in sequence.

They enhance flower and fruit development, oil production, and sugar concentrations whilst maintaining robust growth.

SKU	SF/FS/01	SF/FS/02	SF/FS/03
RRP	250ML £9.95	1L £19.95	5L £59.95



Delta Boost Stimulator

Fertile as a river delta, this all-stage Boost Stimulator inspires verdant, vigorous growth and helps produce the heaviest, most flavoursome fruits and flowers imaginable. Using algal extracts,

plant sourced amino acids, natural plant steroids and poly-glucosides, Delta fortifies plants against pests and diseases.

SKU	SF/BD/01	SF/BD/02	SF/BD/03
RRP	250ML £24.95	1L £62.95	5L £219.95



Alluvium PK Stimulator

An innovative, highly concentrated PK Stimulator for the flowering and fruiting stage with a balanced NPK of 0-18-20. Featuring a rich, high purity potassium and phosphorus content, Alluvium encourages prolific flowering and produces fruit of unrivalled taste and size.

SKU	SF/PK/01	SF/PK/02	SF/PK/03
RRP	250ML £19.95	1L £49.95	5L £174.95



Elements CalMag Stimulator

Elements gets you on a roll. This powerful CalMag bio-stimulant fortifies your plants, keeps vital processes running at full tilt, and encourages rapid, healthy new growth. A more fully functioning plant is created, capable of ever more vigorous onward development.

SKU	SF/CE/01	SF/CE/02	SF/CE/03
RRP	250ML £8.95	1L £17.95	5L £52.95



Origin Root Stimulator

Origin cultivates a rhizosphere that is healthy, ideal for nutrient absorption, and highly conducive to productive growth. This powerful stimulator helps your plant develop extensive root structures of immense mass that can easily access available moisture and make optimum use of nutrients.

SKU	SF/RO/01	SF/RO/02	SF/RO/03
RRP	250ML £19.95	1L £49.95	5L £174.95

Complete Source Starter Kits »

Only when used in unison does the Source fertiliser range truly deliver its full, sequenced, harmonious, high-yielding functionality. Source Complete Starter Kits allow you to sample this coordinated performance for yourself.

8x 250ml bottles: 1x Gro A, 1x Gro B, 1x Flo A, 1x Flo B, 1x Delta, 1x Alluvium, 1x Elements, 1x Origin

SKU: SF/FR/01 RRP £89.95



Source Feed Charts



Go to the Source for feeding guidance with all plants, all cultivation methods, and all grow media

RRP = RECOMMENDED RETAIL PRICE

SHOP NOW AT SOURCEFERTILISER.COM


 @AUTOPOTUK

 AUTOPOT.CO.UK

 @AUTOPOTSYSTEMS

RAPID ROOTS

ORGANIC ROOT GEL



« RAPID ROOTS 50ML - PS/RG/001

RRP £12.00

Strike rate gold. Rapid Roots 100% organic rooting gel fortifies your cuttings with a rich supply of natural plant hormones, vitamins, trace elements, and other nutrients.

Completely free from synthetics, this astonishingly effective new product draws its strength from high quality seaweed extracts that also instil hardness and drought resistance.

- » 100% Organic
- » Free from synthetics
- » Packed with plant hormones
- » Preserves rich content of extracts
- » Improves drought resistance
- » Features uptake-boosting Leonardite


RAPID ROOTS 200ML - PS/RG/002 »

RRP £43.20



1

Dispense Rapid Roots into a small container.




»»

Take your cutting and coat the bottom 2cm of the stem.



3

Transfer immediately into your rooting media of choice



4

Place inside a propagator and maintain in moist conditions.



AUTOPOT PLANT FOOD



RRP

1L £7.75

5L £25.50

20L £69.95



- » Designed for AutoPot
- » Simple to use, one-part feed
- » For all plant types
- » For all stages of growth
- » Fortified with seaweed
- » Clean and free-flowing
- » Dilutes easily, stable in solution
- » Available in 20L, 5L, and 1L

RRP = RECOMMENDED RETAIL PRICE

SEE PAGE 12 FOR RESERVOIR & WATER TIPS

E: MAIL@AUTOPOT.CO.UK

AUTOPOT.CO.UK

@AUTOPOT_GLOBAL



BIOTABS ORGANICS



BOOM BOOM SPRAY 100ML

BIOTABS/BOOMBOOM/100

RRP £20.00



BOOM BOOM SPRAY 250ML

BIOTABS/BOOMBOOM/250

RRP £31.00



GUERRILLA BOX

BIOTABS/GUERRILLABOX

RRP £30.25



GUERRILLA JUICE - 500ML

BIOTABS/GUERRILLAJUICE/500

RRP £15.90



GUERRILLA TABS - 20 PCS

BIOTABS/GUERRILLATABS/20

RRP £13.55



GUERRILLA TABS - 200 PCS

BIOTABS/GUERRILLATABS/200

RRP £122.00



SILICIUM FLASH 2.5L

BIOTABS/SILICUMFLASH/2500

RRP £29.90



SILICIUM FLASH 9L

BIOTABS/SILICUMFLASH/9000

RRP £99.90



PK BOOST TEA - 2KG

BIOTABS/PKBOOSTTEA/2

RRP £55.00



PK BOOST TEA - 8KG

BIOTABS/PKBOOSTTEA/8

RRP £179.00



PK 5-8 500ML

BIOTABS/PK5-8/500

RRP £27.50



PK 5-8 1L

BIOTABS/PK5-8/1000

RRP £47.50



PK 5-8 5L

BIOTABS/PK5-8/5000

RRP £149.50



STARTREX 1.5KG

BIOTABS/STARTREX/1500

RRP £22.50



STARTREX 5KG

BIOTABS/STARTREX/5000

RRP £67.50



BACTREX 50G

BIOTABS/BACTREX/50

RRP £26.00



BACTREX 250G

BIOTABS/BACTREX/250

RRP £108.50



BIOTABS - 10 TABS

BIOTABS/TABS/10

RRP £14.95



BIOTABS - 100 TABS

BIOTABS/TABS/100

RRP £125.00



MYCOTREX 100G

BIOTABS/MYCOTREX/100

RRP £35.90



MYCOTREX 500G

BIOTABS/MYCOTREX/500

RRP £145.00



ORGATREX 1L

BIOTABS/ORGATREX/1000

RRP £17.90



ORGATREX 5L

BIOTABS/ORGATREX/5000

RRP £71.50



BIOTABS SINGLE STARTER PACK

BIOTABS/SIN/1

RRP £59.95



BIOTABS PLANT PERFECT PACK

BIOTABS/PPP

RRP £25.00

RRP = RECOMMENDED RETAIL PRICE

SEE PAGES 8-9 FOR NUTRIENT INFORMATION



@AUTOPOTUK



AUTOPOT.CO.UK



@AUTOPOTSYSTEMS

Available worldwide

**Manufacturer**

Email: mail@autopot.co.uk
Web: www.autopot.co.uk

**Distributor**

Email: info@autopot.asia
Web: www.autopot.asia

**Distributor**

Email: info@autopot.nl
Web: www.autopot.nl

**Distributor**

Email: info@autopot-canada.ca
Web: www.autopot-canada.ca

**Distributor**

Email: autopot.france@gmail.com
Web: www.autopot.fr

**Distributor**

Email: info@autopot-usa.com
Web: www.autopot-usa.com

**Distributor**

Email: mail@autopot.es
Web: www.autopot.es

**Distributor**

Email: admin@AutopotDistributors.co.nz
Web: www.autopot.co.nz

AutoPot Global Ltd
Unit 5, 108 Hawley Lane,
Farnborough, Hampshire
GU14 8JE, UNITED KINGDOM

Tel: +44 (0)1276 534900

Email: mail@autopot.co.uk
Web: www.autopot.co.uk

autopot_global

@AutoPotSystems

autopotuk

©AutoPot Global Ltd 2025

All prices correct 1st January 2025

